Списък на забелязаните цитати в реферирани издания[1]

на публикациите на гл. ас. д-р Боряна Трушева

Публикация 1: **B Trusheva**, M Popova, V Bankova, I Tsvetkova, H Naydenski, A G Sabatini (2003). A new type of European propolis, containing bioactive labdanes. *Rivista Italiana EPPOS*, **13**(36), 3-8.

1. A Aliboni, A D'Andrea, P Massanisso (2011). Propolis specimens from different locations of central Italy: chemical profiling and gas chromatography-mass spectrometry (GC-MS) quantitative analysis of the allergenic esters benzyl cinnamate and benzyl salicylate. *J Agric Food Chem*, **59**(1), 282-288.

2. M Miguel, M Antunes (2011). Is propolis safe as an alternative medicine? *J Pharm Bioallied Sci*, **3**(4), 479-495.

3. V Wagh, R Borkar (2012). Indian propolis: a potential natural antimicrobial and antifungal agent. *Int J Pharm Pharmaceut Sci*, **4**(4), 12-17.

4. A Barrero, M Herrador, P Arteaga, J Arteaga, A Arteaga (2012). Communic acids: occurrence, properties and use as chirons for the synthesis of bioactive compounds. *Molecules*, **17**(2), 1448-1467.

5. J Martínez, C Garcia, D Durango, J Gil (2012). Caracterización de propóleos provenientes del municipio de Caldas obtenido por dos métodos de recolección. *Revista MVZ Córdoba*, **17**(1), 2861-2869.

6. J Gil-Gonzalez, D Durango-Restrepo, B Rojano, J Marin-Loaiza (2013). Antioxidant activity and chemical composition of Colombian propolis. In *Natural Antioxidants and Biocides from Wild Medicinal Plants*, C Céspedes, D Sampietro, D Seigler, M Rai (Eds), CAB International, UK, pp. 92-115.

7. M Miguel (2013). Chemical and biological properties of propolis from the Western countries of the Mediterranean basin and Portugal. *Int J Pharm Pharmaceut Sci*, **5**(3), 403-409.

[1] Обхваща периода след заемане на академичната длъжност „главен асистент” през 2007 г. до момента

8. E Zammit, K Theuma, S Darmanin, M Muraglia, M Camilleri-Podesta, J Buhagiar, J Calleja-Agius, M Adami, M Micallef, C Franchini, P Schembri-Wismayer (2013). Totarol content and cytotoxicity varies significantly in different types of propolis. *Res J Pharmaceut Biol Chem Sci*, **4**(3), 1047-1058.

9. V Wagh (2013). Propolis: a wonder bees product and its pharmacological potentials. *Adv Pharmacol Sci,* **2013**, Art ID 308249.

10. A Rushdi, N Adgaba, N Bayaqoob, A Al-Khazim, B Simoneit, A El-Mubarak, K Al-Mutlaq (2014). Characteristics and chemical compositions of propolis from Ethiopia. *SpringerPlus*, **3**:253.

11. P Sakava, E Talla, M Chelea, T Tchinda, E Zeuko'o, S Laurent, L Elst, M Tagatsing, J Yaya, A Atchade, J Mbafor (2014). Pentacyclic triterpenes and crude extracts with antimicrobial activity from Cameroonian brown propolis samples. *J App Pharm Sci*, **4**(7), 1-9.

12. A Shehu, M Rohin, A Aziz, S Ismail (2015). Antifungal, characteristic properties and composition of bee glue (propolis). *J Chem Pharm Res*, **7**(3), 1992-1996.

13. A Al-Ghamdi, N Bayaqoob, A Rushdi, Y Alattal, B Simoneit, A El-Mubarak, K Al-Mutlaq (2017). Chemical compositions and characteristics of organic compounds in propolis from Yemen. *Saudi J Biol Sci*, **24**(5), 1094-1103.

14. S Zingue, C Nde, T Michel, D Ndinteh, J Tchatchou, M Adamou, X Fernandez, F Fohouo, C Clyne, D Njamen (2017). Ethanol-extracted Cameroonian propolis exerts estrogenic effects and alleviates hot flushes in ovariectomized Wistar rats. *BMC Compl Alternative Med*, **17**:65.

15. N Aminimoghadamfarouj, A Nematollahi (2017). Propolis diterpenes as a remarkable bio-source for drug discovery development: a review. *Int J Mol Sci*, **18**(6):1290.

16. Almohammadi, A Bakdash, N Taha, A Abu-Rumman, S Kumar (2018). Chemical composition of propolis from the Baha region in Saudi Arabia. *Czech J Food Sci*, **36**(2), 109-118.

17. A Sulaeman, A M Fikri, N Kalsum, M Mahani (2019). *Trigona* propolis and its potency for health and healing process. In *The Role of Functional Food Security in Global Health*, R Singh, R Watson, T Takahashi (Eds), Academic Press, pp 425-448.

Публикация 2: **B Trusheva**, M Popova, H Naydenski, I Tsvetkova, J G Rodriguez, V Bankova. (2004). New polyisoprenylated benzophenones from Venezuelan propolis. *Fitoterapia*, **75**(7-8), 683-689.

18. Cuesta-Rubio, A Piccinelli, M Fernandez, I Hernandez, A Rosado, L Rastrelli (2007). Chemical characterization of Cuban propolis by HPLC-PDA, HPLC-MS and NMR: the brown, red and yellow Cuban varieties of propolis. *J Agric Food Chem*, **55**(18), 7502-7509.

19. A Hegazi, F Abd El Hady, H Shalaby (2007). Inhibitory effect of Egyptian propolis on *Fasciola gigantica* eggs with reference to its effect on *Clostridium oedematiens* and correlation to chemical composition. *Pakistan J Biol Sci*, **10**(19), 3295-3305.

20. K Salomão, P Pereira, L Campos, C Borba, P Cabello, M Marcucci, S Castro (2008). Brazilian propolis: correlation between chemical composition and antimicrobial activity. *eCAM*, **5**(3), 317-324.

21. R Torres, J Lopes, J Neto, A Citó (2008). Constituintes voláteis de própolis piauiense. *Quim Nova*, **31**(3), 479-485.

22. V Seidel, E Peyfoon, D Watson, J Fearnley (2008). Comperative study of the antibacterial activity of propolis from different geographical and climatic zones. *Phytother Res*, **22**(9), 1256-1263.

23. F Naldoni, A Claudino, J Cruz Jr, J Chavasco, P Silva, M Veloso, M Dos Santos (2009). Antimicrobial activity of benzophenones and extracts from the fruits of *Garcinia brasiliensis*. *J Med Food*, **12**(2), 403-407.

24. E Meneses, D Durango, C Garcia (2009). Antifungal activity against postharvest fungi by extracts from Colombian propolis. *Quim Nova*, **32**(8), 2011-2017.

25. S Yu, Y Hu, X Wu, J Liu (2009). Natural phloroglucinols-molecular diversity and bioactivity. In *Recent Progress in Medicinal Plants: Chemistry and Medicinal Value*, vol. 25, V Singh, J Govil (Eds), Studium Press LLC, Houston, pp. 103-139.

26. V Ishida, G Negri, A Salatino, M Bandeira (2011). A new type of Brazilian propolis: prenylated benzophenones in propolis from Amazon and effects against cariogenic bacteria. *Food Chem*, **125**(3), 966-972.

27. A Salatino, C Fernandes-Silva, A Righi, M Salatino (2011). Propolis research and the chemistry of plant products. *Nat Prod Rep*, **28**(5), 925-936.

28. M Miguel, M Antunes (2011). Is propolis safe as an alternative medicine? *J Pharm Bioallied Sci*, **3**(4), 479-495.

29. N Cardinault, M Cayeux, P Sert (2012). La propolis: origine, composition et propriétés. *Phytothérapie*, **10**(5), 298-304.

30. Cuesta-Rubio, A Piccinelli, L Rastrelli (2012). Tropical propolis: recent advances in chemical components and botanical origin. In *Medicinal Plants: Biodiversity and Drugs*, M K Rai, G A Cordell, J L Martinez, M Marinoff, L Rastrelli (Eds), CRC Press, USA, pp. 209-240.

31. B López, A Sawaya (2012). A review of the plant origins, composition and biological activity of red propolis. In *Natural Products: Structure, Bioactivity and Application*, R E Goncalves, M C Pinto (Eds), Nova Science Publishers, New York, pp 75-89.

32. R Robles-Zepeda, J Martínez, A Escobar, D Rivera, C Contreras (2012). Botanical origin and biological activity of propolis. In *Medicinal Plants: Biodiversity and Drugs*, M Rai, G Cordell, J Martinez, M Marinoff, L Rastrelli (Eds), CRC Press, Boca Raton, pp 570-598.

33. V Toreti, H Sato, G Pastore, Y Park (2013). Recent progress of propolis for its biological and chemical compositions and its botanical origin. *eCAM*, **2013**, Art ID 697390.

34. L Marghitas, D Dezmirean, O Bobis (2013). Important developments in Romanian propolis research. *eCAM*, **2013**, Art ID 159392.

35. S Kumar, S Sharma, S Chattopadhyay (2013). The potential health benefit of polyisoprenylated benzophenones from *Garcinia* and related genera: ethnobotanical and therapeutic importance. *Fitoterapia*, **89**, 86–125.

36. J Gil-Gonzalez, D Durango-Restrepo, B Rojano, J Marin-Loaiza (2013). Antioxidant activity and chemical composition of Colombian propolis. In *Natural Antioxidants and Biocides from Wild Medicinal Plants*, C L Céspedes, D A Sampietro, D S Seigler, M Rai (Eds), CAB International, UK, pp. 92-115.

37. A Begum, N Khanum, P Naveen, V Ranganatha, M Asha, S Khanum (2013). Efficacy of 5-(2-aroyl)aryloxy methyl-2-phenyl-1,3,4-oxadiazoles as antibacterial and antifungal agents. *J Appl Pharmaceut Sci*, **3**(11), 105-109.

38. B López, E Schmidt, M Eberlin, A Sawaya (2014). Phytochemical markers of different types of red propolis. *Food Chemistry*, **146**, 174–180.

39. A Begum, N Khanum, V Ranganatha, T Prashanth, M Al-Ghorbani, S Khanum (2014). Evaluation of benzophenone-N-ethyl morpholine ethers as antibacterial and antifungal activities. *J Chem* **2014**, Art ID 941074.

40. M Kardar, T Zhang, G Coxon, D Watson, J Fearnley, V Seidel (2014). Characterisation of triterpenes and new phenolic lipids in Cameroonian propolis. *Phytochem,* **106**, 156–163.

41. S Huang, C Zhang, K Wang, G Li, F Hu (2014). Recent advances in the chemical composition of propolis. *Molecules*, **19**, 19610-19632.

42. N Rios, C Yánez, L Rojas, F Mora, A Usubillaga, P Vit (2014). Chemical composition of essential oil of *Apis mellifera* propolis from Falcon State, Venezuela. *Emir J Food Agric*, **26**(7), 639-642.

43. R da Silva, V Andrade, E Rêgo, G Dória, B Lima, F da Silva, A Araújo, R de Albuquerque Jr, J Cardoso, M Gomes (2015). Acute and sub-acute oral toxicity of Brazilian red propolis in rats. *J Ethnopharm*. **170**, 66–71.

44. M Benhanifia, W Mohamed (2015). Phenolic constituents of different types of propolis and their antimicrobial activities. *Anti-Infective Agents*, **13**(1), 17-27.

45. R Silva-Carvalho, F Baltazar, C Almeida-Aguiar (2015). Propolis: a complex natural product with a plethora of biological activities that can be explored for drug development. *eCAM*, **2015**, Art ID 206439.

46. M Mayworm, C Fernandes-Silva, M Salatino, A Salatino (2015). A simple and inexpensive procedure for detection of a marker of Brazilian alecrim propolis. *J Apicult Res*, **54**(1), 36-39.

47. S Boisard, T Huynh, F Escalante-Erosa, L Hernandez-Chavez, L M Pena-Rodriguez, P Richomme (2015). Unusual chemical composition of a Mexican propolis collected in Quintana Roo, Mexico. *J Apicul Res*, **54**(4), 350-357.

48. N Nina, C Quispe, F Jiménez-Aspee, C Theoduloz, A Giménez, G Schmeda-Hirschmann (2016). Chemical profiling and antioxidant activity of Bolivian propolis. *J Sci Food Agr*, **96**(6), 2142-2153.

49. I Freires, S de Alencar, P Rosalen (2016). A pharmacological perspective on the use of Brazilian red propolis and its isolated compounds against human diseases. *Eur J Med Chem*, **110**, 267–279.

50. E Alday, M Navarro-Navarro, A Garibay-Escobar, R Robles-Zepeda, J Hernandez, C Velazquez (2016). Advances in pharmacological activities and chemical composition of propolis produced in Americas. In *Beekeeping and Bee Conservation - Advances in Research*, E D Chambo (Ed), InTech, Rijeka, 99-151.

51. C Duke, V Tran, R Duke, A Abu-Mellal, G Plunkett, D King, K Hamid, K Wilson, R Barrett, J Bruhl (2017). A sedge plant as the source of Kangaroo Island propolis rich in prenylated p-coumarate ester and stilbenes. *Phytochem*, **134**, 87-97.

52. M Neto, S Tintino, A da Silva, M Costa, A Boligon, E Matias, V Balbino, I Menezes, H Coutinho (2017). Seasonal variation of Brazilian red propolis: Antibacterial activity, synergistic effect and phytochemical screening. *Food Chem Toxicol*, **107B**, 572-580.

53. H Liu, F Gan, S Jin, J Li, Y Chen, G Yang (2017). Acylphloroglucinol and tocotrienol derivatives from the fruits of *Garcinia multiflora*. *RSC Adv*, **7**, 29295-29301.

54. M Bruschi, H Rosseto, L de Francisco, L de Toledo, R Pereira (2017). Nanostructured propolis as therapeutic systems with antimicrobial activity. In *Nano- and Microscale Drug Delivery Systems: Design and Fabrication*, A Grumezescu (Ed), Elsevier, pp. 377-391.

55. G Costabile, K Gasteyer, V Nadithe, K Van Denburgh, Q Lin, S Sharma, J Reineke, S Firestine, O Merkel (2018). Physicochemical and *in vitro* evaluation of drug delivery of an antibacterial synthetic benzophenone in biodegradable PLGA nanoparticles. *AAPS PharmSciTech*, **19**(8), 3561–3570.

56. Z Ahangari, M Naseri, F Vatandoost (2018). Propolis: chemical composition and its applications in endodontics. *Iranian Endod J*, **13**(3), 285-292.

57. M Herrera-López, E Rubio-Hernández, M Leyte-Lugo, A Schinkovitz, P Richomme, L Calvo-Irabién, L Peña-Rodríguez (2019). Botanical origin of triterpenoids from Yucatecan propolis. *Phytochem Lett*, **29**, 25–29.

58. S Miranda, J Damasceno, M Faveri, L Figueiredo, H da Silva, S Alencar, P Rosalen, M Feres, B Bueno-Silva (2019). Brazilian red propolis reduces orange-complex periodontopathogens growing in multispecies biofilms. *Biofouling*, In Press, doi: 10.1080/08927014.2019.1598976.

Публикация 3: **B Trusheva**, M Popova, V Kortenska, I Totseva, J G Rodriguez, V Bankova (2005). Chemical composition and antioxidant activity of propolis from Venezuela. *Oxid Commun*, **28**(2), 490-496.

59. E Alday, M Navarro-Navarro, A Garibay-Escobar, R Robles-Zepeda, J Hernandez, C Velazquez (2016). Advances in pharmacological activities and chemical composition of propolis produced in Americas. In *Beekeeping and Bee Conservation - Advances in Research*, E D Chambo (Ed), InTech, Rijeka, pp. 99-151.

60. B Koksal, M H Emre (2017). Investigation of propolis effects on learning and memory of diabetic Sprague dawley rats induced by streptozotocin. *Oxid Commun*, **40**(1-II), 528-539.

Публикация 4: R Christov, **B Trusheva**, M Popova, V Bankova, M Bertrand (2006). Chemical composition of propolis from Canada, its antiradical activity and plant origin. *Natural Product Research*, **20**(6), 531-536. [R Christov, **B Trusheva**, M Popova, V Bankova, M Bertrand (2005). Chemical composition of propolis from Canada, its antiradical activity and plant origin. *Natural Product Research*, **19**(7), 673-678, **retracted in**: *Nat Prod Res* **23**(12), 1160-1161 (2009)].

61. G Eraslan, M Kanbur, S Silici (2007). Evaluation of propolis effects on some biochemical parameters in rats treated with sodium fluoride. *Pestic Biochem Physiol*, **88**(3), 273-283.

62. B Lenta, D Noungoue, K Devkota, P Fokou, S Ngouela, E Tsamo, N Sewald (2007). (1R*,5R*,7R*,8S*)-3-(3,4-dihydroxybenzoyl) -4-hydroxy-8-methyl-1,5,7-tris-(3-methyl-2-butenyl)-8-(4-methyl-3-pentenyl) bicyclo-[3.3.1]non-3-ene-2,9-dione. *Acta Crystallogr E*, **63**(3), o1282-o1284.

63. M Weng, C Liao, C Chen, C Wu, J Lin (2007). Propolin H from Taiwanese propolis induces G1 arrest in human lung carcinoma cells. *J Agr Food Chem*, **55**(13), 5289-5298.

64. S Alencar, T Oldoni, M Castro, I Cabral, C Costa-Neto, J Cury, P Rosalen, M Ikegaki (2007). Chemical composition and biological activity of a new type of Brazilian propolis: red propolis. *J Ethnopharmacol*, **113**(2), 278-283.

65. X Li, X Gong, J Li, W Wang, W Xu (2007). (R, E)-[4-(Benzyloxy)-2-(cinnamoyloxy)-4-oxobutyl]trimethylammonium chloride hydrochloride. *Acta Cryst E*, **63**(11), o4239-o4240.

66. D Majiene, S Trumbeckaite, A Pavilonis, A Savickas, D Martirosyan (2007). Antifungal and antibacterial activity of propolis. *Curr Nutr Food Sci*, **3**(4), 304-308.

67. M Castro, J Cury, P Rosalen, S Alencar, M Ikegaki, S Duarte, H Koo (2007). Própolis do sudeste e nordeste do Brasil: Influência da sazonalidade na atividade antibacteriana e composição fenólica. *Quím Nova*, **30**(7), 1512-1516.

68. B Silva, P Rosalen, J Cury, M Ikegaki, V Souza, A Esteves, S Alencar (2008). Chemical composition and botanical origin of red propolis, a new type of Brazilian propolis. *eCAM*, **5**(3), 313-316.

69. Y Chen, S Wu, K Ho, S Lin, C Huang, C Chen (2008). Characterisation of Taiwanese propolis collected from different locations and seasons. *J Sci Food Agric*, **88**(3), 412–419.

70. X Gong, X Li, W Li, X Gao, W Xu, H Zhai (2008). Synthesis and crystal structure of (E)-4-(Benzyloxy)-2-(cinnamoyloxy)-N,N,N-trimethyl-4-oxobutan-1-aminium chloride as a double- prodrug. *Chin J Struct Chem*, **27**(2), 177-182.

71. T Tabopda, J Ngoupayo, J Liu, A Mitaine-Offer, S Tanoli, S Khan, M Ali, B Ngadjui, E Tsamo, M Lacaille-Dubois, B Luu (2008). Bioactive aristolactams from *Piper umbellatum*. *Phytochem*, **69**(8), 1726-1731.

72. C Williams, E Lamprecht (2008). Some commonly fed herbs and other functional foods in equine nutrition: a review. *Vet J*, **178**(1), 21-31.

73. M Silva, S De Lima, E Oliveira, J Lopes, M Chaves, F Reis, A Citó (2008). Anacardic acid derivatives from Brazilian propolis and their antibacterial activity. *Eclet Quim*, **33**(3), 53-58.

74. M Kanbur, G Eraslan, S Silici (2009). Antioxidant effect of propolis against exposure to propetamphos in rats. *Ecotoxicol Environ Saf*, **72**(3), 909-915.

75. A Pichette, A Eftekhari, P Georges, S Lavoie, V Mshvildadze, J Legault (2010). Cytotoxic phenolic compounds in leaf buds of *Populus tremuloides*. *Can J Chem*, **88**(2), 104-110.

76. D Majiene, I Macioniene, L Kursvietiene, J Bernatoniene, J Davalgiene, R Lazauskas, A Savickas (2010). The effect of propolis on microbial vitality and oxygen consumption. *J Med Plants Res*, **4**(10), 953-958.

77. S Pillai, P Palsamy, S Subramanian, M Kandaswamy (2010). Wound healing properties of Indian propolis studied on excision wound-induced rats. *Pharmaceut Biol*, **48**(11), 1198-1206.

78. M Cantarelli, J Camiña, E Pettenati, E Marchevsky, R Pellerano (2011). Trace mineral content of Argentinean raw propolis by neutron activation analysis (NAA): assessment of geographical provenance by chemometrics. *LWT-Food Sci Tech,* **44**(1), 256-260.

79. A Salatino, C Fernandes-Silva, A Righi, M Salatino (2011). Propolis research and the chemistry of plant products. *Nat Prod Rep*, **28**(5), 925-936.

80. M Yonar, S Yonar, S Silici (2011). Protective effect of propolis against oxidative stress and immunosuppression induced by oxytetracycline in rainbow trout (*Oncorhynchus mykiss*, W.). *Fish Shellfish Immunol*, **31**(2), 318-325.

81. S Erdogan, B Ates, G Durmaz, I Yilmaz, T Seckin (2011). Pressurized liquid extraction of phenolic compounds from Anatolia propolis and their radical scavenging capacities. *Food Chem Toxicol*, **49**(7), 1592-1597.

82. S Shaheen, M Zarga, I Nazer, R Darwish, H Al-Jabe, (2011). Chemical constituents of Jordanian propolis. *Nat Prod Res*, **25**(14), 1312-1318.

83. M Miguel, M Antunes (2011). Is propolis safe as an alternative medicine. *J Pharm Bioallied Sci*, **3**(4), 479-495.

84. B Aksöz, R Ertan (2011). Chemical and structural properties of chalcones I. *FABAD J Pharm Sci*, **36**(4), 223-242.

85. R Thirugnanasampandan, S Raveendran, R Jayakumar (2012). Analysis of chemical composition and bioactive property evaluation of Indian propolis. *Asian Pac J Trop Biomed*, **2**(8), 651-654.

86. A Salonen, S Saarnio, R Julkunen-Tiitto (2012). Phenolic compounds of propolis from the boreal coniferous zone. *J Apicult Sci*, **56**(1), 13-22.

87. F Simard, A Pichette, J Legault (2012). New bioactive natural products from Canadian boreal forest. In *Biorefinery Co-Products: Phytochemicals, Primary Metabolites and Value-Added Biomass Processing*, C Bergeron, D Carrier, S Ramaswamy (Eds), John Wiley & Sons Ltd, Chichester, pp. 241-258.

88. M Yonar, S Yonar, M Ural, S Silici, M Düşükcan (2012). Protective role of propolis in chlorpyrifos-induced changes in the haematological parameters and the oxidative/antioxidative status of *Cyprinus carpio carpio*. *Food Chem Toxicol*, **50**(8), 2703–2708.

89. K Haile, T Kebede, A Dekebo (2012). A comparative study of volatile components of propolis (bee glue) collected from Haramaya University and Assela Beekeeping Centers, Ethiopia. *Bull Chem Soc Ethiop*, **26**(3), 353-360.

90. B Aksöz, R Ertan (2012). Spectral properties of chalcones II. *FABAD J Pharm Sci*, **37**(4), 205-216.

91. R Robles-Zepeda, J Martínez, A Escobar, D Rivera, C Contreras (2012). Botanical origin and biological activity of propolis. In *Medicinal Plants: Biodiversity and Drugs*, M Rai, G Cordell, J Martinez, M Marinoff, L Rastrelli (Eds), CRC Press, Boca Raton, pp 570-598.

92. Y Nolvachai, P Marriott (2013). GC for flavonoids analysis: past, current, and prospective trends. *J Separ Sci*, **36**(1), 20–36.

93. V Toreti, H Sato, G Pastore, Y Park (2013). Recent progress of propolis for its biological and chemical compositions and its botanical origin. *eCAM*, **2013**, Art ID 697390.

94. L Marghitas, D Dezmirean, O Bobis (2013). Important developments in Romanian propolis research. *eCAM*, **2013**, Art ID 159392.

95. J Bertrams, M Müller, N Kunz, D Kammerer, F Stintzing (2013). Phenolic compounds as marker compounds for botanical origin determination of German propolis samples based on TLC and TLC-MS. *J Appl Bot Food Qual*, **86**, 143-153.

96. A De Groot (2013). Propolis: a review of properties, applications, chemical composition, contact allergy, and other adverse effects. *Dermatitis*, **24**(6), 263-282.

97. C Williams (2013). Specialized dietary supplements. In *Equine Applied and Clinical Nutrition: Health, Welfare and Performance*, R Geor, M Coenen, P Harris (Eds), Saunders Elsevier, pp. 351-366.

98. M Yonar, S Yonar, M Çoban, M Eroğlu (2014). Antioxidant effect of propolis against exposure to chromium in *Cyprinus carpio*. *Environ Toxicol*, **29**(2), 155-164.

99. F Simard, J Legault, S Lavoie, A Pichette (2014). Balsacones D-I, dihydrocinnamoyl flavans from *Populus balsamifera* buds. *Phytochem*, **100**, 141-149.

100. D Kasote, T Suleman, W Chen, M Sandasi, A Viljoen, S van Vuuren (2014). Chemical profiling and chemometric analysis of South African propolis. *Biochem Systemat Ecol*, **55**, 156–163.

101. S Yonar, M Ural, S Silici, M Yonar (2014). Malathion-induced changes in the haematological profile, the immune response, and the oxidative/antioxidant status of *Cyprinus carpio carpio*: protective role of propolis. *Ecotoxicol Environ Saf*, **102**(1), 202–209.

102. A Aliboni (2014). Propolis from Northern California and Oregon: chemical composition, botanical origin and content of allergens. *Z Naturforsch*, **69C**(1-2), 10-20.

103. A Arslan, P Seven, S Yilmaz, I Seven (2014). The effects of propolis on performance, carcass and antioxidant status characteristics in quails reared under different stocking density. *Eur Poult Sci*, **78**, doi: 10.1399/eps.2014.20.

104. S Huang, C Zhang, K Wang, G Li, F Hu (2014). Recent advances in the chemical composition of propolis. *Molecules*, **19**, 19610-19632.

105. A Saddiq, E Danial (2014). Effect of propolis as a food additive on the growth rate of the beneficial bacteria. *Main Group Chem*, **13**(3), 223–232.

106. S Cottica, H Sabik, C Antoine, J Fortin, N Graveline, J Visentainer, M Britten (2015). Characterization of Canadian propolis fractions obtained from two-step sequential extraction. *LWT-Food Sci Tech*, **60**(1), 609-614.

107. P Haščík, I Elimam, M Kročko, M Bobko, M Kačániová, J Garlík, M Šimko, A Saleh (2015). The influence of propolis as supplement diet on broiler meat growth porformance, carcass body weight, chemical composition and lipid oxidation stability. *Acta Univ Agric Silvic Mendelianae Brun*, **63**(2), 411-418.

108. M Baykara, S Silici, M Özçelik, O Güler, N Erdoğan, M Bilgen (2015). *In vivo* nephroprotective efficacy of propolis against contrast- induced nephropathy", *Diagn Interv Radiol*, **21**(4), 317-321.

109. S Cottica, H Sabik, D Bélanger, H Giroux, J Visentainer, M Britten (2015). Use of propolis extracts as antioxidant in dairy beverages enriched with conjugated linoleic acid, *Eur Food Res Technol*, **241**(4), 543-551.

110. A Saddiq, M Elhalwagy (2015). Effect of Saudi Arabia propolis against liver injury induced by *Staphylococcus aureus* bacteria in rats. *Main Group Chem*, **14**(3), 227-236.

111. T Suleman, S van Vuuren, M Sandasi, A Viljoen (2015). Antimicrobial activity and chemometric modelling of South African propolis. *J Appl Microbiol*, **119**(4), 981–990.

112. M Shahbaz, T Zahoor, M Randhawa, H Nawaz (2015). *In-vitro* antibacterial activity of hydroalcoholic extract of propolis against pathogenic bacteria. *Pak J Life Soc Sci*, **13**(3), 132-136.

113. N Patel, G Jaiswal, K Bhutani (2016). A review on biological sources, chemistry and pharmacological activities of pinostrobin. *Nat Prod Res,* **30**(18), 2017-2027.

114. B Machado, R Silva, G Barreto, S Costa, D da Silva, H Brandão, J da Rocha, O Dellagostin, J Henriques, M Umsza-Guez, F Padilha (2016). Chemical composition and biological activity of extracts obtained by supercritical extraction and ethanolic extraction of brown, green and red propolis derived from different geographic regions in Brazil. *PLoS ONE*, **11**(1):e0145954.

115. M Roberto, S Matsumoto, C Jamal, O Malaspina, M Marin-Morales (2016). Evaluation of the genotoxicity/mutagenicity and antigenotoxicity/antimutagenicity

induced by propolis and *Baccharis dracunculifolia*, by *in vitro* study with HTC cells. *Toxicol in Vitro*, **33**, 9–15.

116. J Sforcin (2016). Biological properties and therapeutic applications of propolis. *Phytother Res*, **30**(6), 894-905.

117. T Shibata, S Shibata, N Shibata, E Kiyokawa, H Sasaki, D Singh, E Kubo (2016). Propolis, a constituent of honey, inhibits the development of sugar cataracts and high-glucose-induced reactive oxygen species in rat lenses. *J Ophthalmol*, **2016**, Art ID 1917093.

118. E Alday, M Navarro-Navarro, A Garibay-Escobar, R Robles-Zepeda, J Hernandez, C Velazquez (2016). Advances in pharmacological activities and chemical composition of propolis produced in Americas. In *Beekeeping and Bee Conservation-Advances in Research*, E Chambo (Ed), InTech, Rijeka, pp. 99-151.

119. M Oladayo (2016). Nigerian propolis improves blood glucose, glycated hemoglobin A1c, very low-density lipoprotein, and highdensity lipoprotein levels in rat models of diabetes. *J Intercult Ethnopharmacol*, **5**(3), 233–238.

120. Y Al Naggar, J Sun, A Robertson, J Giesy, S Wiseman (2016). Chemical characterization and antioxidant properties of Canadian propolis. *J Apicult Res*, **55**(4), 305-314.

121. N Rosli, H Roslan, E Omar, N Mokhtar, N Hapit, N Asem (2016). Phytochemical analysis and antioxidant activities of *Trigona apicalis* propolis extract. *AIP Conf Proc,* **1791**(1):020018.

122. Y Elnakady, A Rushdi, R Franke, N Abutaha, H Ebaid, M Baabbad, M Omar, A Al Ghamdi (2017). Characteristics, chemical compositions and biological activities of propolis from Al-Bahah, Saudi Arabia. *Sci Rep*, **7**:41453.

123. R Silva, B Machado, G Barreto, S Costa, L Andrade, R Amaral, A Carvalho, F Padilha, J Barbosa, M Umsza-Guez (2017). Antioxidant, antimicrobial, antiparasitic, and cytotoxic properties of various Brazilian propolis extracts. *PLoS ONE*, **12**(3):e0172585.

124. N Zabaiou, A Fouache, A Trousson, S Baron, A Zellagui, M Lahouel, J-M Lobaccaro (2017). Biological properties of propolis extracts: Something new from an ancient product. *Chem Phys Lipids*, **207B**, 214-222.

125. S Yonar, K Köprücü, M Yonar, S Silici (2017). Effects of dietary propolis on the number and size of pleopadal egg, oxidative stress and antioxidant status of freshwater crayfish (*Astacus leptodactylus* Eschscholtz). *Anim Reprod Sci*, **184**, 149-159.

126. H Hamed, M Abdel-Tawwab (2017). Ameliorative effect of propolis supplementation on alleviating bisphenol-A toxicity: growth performance, biochemical variables, and oxidative stress biomarkers of Nile tilapia, *Oreochromis niloticus* (L.) fingerlings. *Comp Biochem Physiol C*, **202**, 63–69.

127. A Rebiai, M Belfar, M Mesbahi, S Nani, ATliba, D Amara, A Chouikh (2017). Fatty acid composition of Algerian propolis. *J Fundam Appl Sci*, **9**(3), 1656-1671.

128. Santos-Buelga, A González-Paramás (2017). Phenolic Composition of Propolis. In *Bee Products-Chemical and Biological Properties*, J Alvarez-Suarez (Ed), Springer, Cham, pp. 99-111.

129. W Yang, Z Wu, Z Huang, X Miao (2017). Preservation of orange juice using propolis. *J Food Sci Technol*, **54**(11), 3375-3383.

130. C Gu, L Fu, X Yuan, Z Liu (2017). Promoting effect of pinostrobin on the proliferation, differentiation, and mineralization of murine pre-osteoblastic MC3T3-E1 cells. *Molecules*, **22**(10):1735.

131. S Ghosh, R McArthur, Z Guo, R McKerchar, K Donkor, J Xu, N Cheeptham (2018). Evidence for anti-*Pseudogymnoascus destructans* (Pd) activity of propolis. *Antibiotics*, **7**(1):2.

132. J de la Cruz-Cervantes, F Benavides-González, J Sánchez-Martínez, M Vázquez-Sauceda, A Ruiz-Uribe (2018). Propolis in Aquaculture: a review of its potential. *Rev Fish Sci Aquaculture*, **26**(3), 337-349.

133. T Ismail, S Sulaiman, K Ponnuraj, C Man, N Hassan (2018). Chemical constituents of Malaysian *Apis mellifera* propolis. *Sains Malaysiana*, **47**(1), 117–122.

134. J Granados-Pineda, N Uribe-Uribe, P García-López, M Ramos-Godinez, J Rivero-Cruz, J Pérez-Rojas (2018). Effect of pinocembrin isolated from Mexican brown propolis on diabetic nephropathy. *Molecules*, **23**(4):852.

135. O Almohammadi, A Bakdash, N Taha, A Abu-Rumman, S Kumar (2018). Chemical composition of propolis from the Baha region in Saudi Arabia. *Czech J Food Sci*, **36**(2), 109-118.

136. M Rezvani, M Hemmati, M Norouzi, R Bakhtiari, F Azinpour, F Hamzeh (2018). Evaluation of the effect of Kandovan propolis against *Streptococcus mutans*. *J Oral Health Oral Epidemiol*, **7**(2), 94-98.

137. D Devequi-Nunes, B Machado, G Barreto, J Silva, D da Silva, J da Rocha, H Brandão, V Borges, M Umsza-Guez (2018). Chemical characterization and biological activity of six different extracts of propolis through conventional methods and supercritical extraction. *PLoS ONE*, **13**(12):e0207676.

138. S Anjum, A Ullah, K Khan, M Attaullah, H Khan, H Ali, M Bashir, M Tahir, M Ansari, H Ghramh, N Adgaba, C Dash (2018). Composition and functional properties of propolis (bee glue): A review. *Saudi J Biol Sci*, In Press, https://doi.org/10.1016/j.sjbs.2018.08.013.

139. J Hagel, X Chen, P Facchini (2019). Production of methylparaben in *Escherichia coli*. *J Ind Microbiol Biotechnol*, **46**(1), 91-99.

140. X Jiang, J Tian, Y Zheng, Y Zhang, Y Wu, C Zhang, H Zheng, F Hu (2019). A new propolis type from Changbai Mountains in North-east China: chemical composition, botanical origin and biological activity. *Molecules*, **24**(7), 1369.

141. S Ezzat, A Khattaby, S Abdelmageed, M Abd Elaal (2019). Cytotoxicity, antioxidant, anti-inflammatory activity, and GC-MS analysis of Egyptian propolis. *Comp Clin Pathol*, In Press, doi: 10.1007/s00580-019-02971-6.

Публикация 5: B Trusheva, M Popova, V Bankova, S Simova, M Marcucci, P Miorin, F Pasin, I Tsvetkova (2006). Bioactive constituents of brazilian red propolis. *eCAM*, **3**(2), 249–254.

142. M Weng, C Liao, C Chen, C Wu, J Lin (2007). Propolin H from Taiwanese propolis induces G1 arrest in human lung carcinoma cells. *J Agric Food Chem*, **55**(13), 5289-5298.

143. S Alencar, T Oldoni, M Castro, I Cabral, C Costa-Neto, J Cury, P Rosalen, M Ikegaki (2007). Chemical composition and biological activity of a new type of Brazilian propolis: red propolis", *J Ethnopharmacol* **113**(2), 278-283.

144. I de Albuquerque, L Alves, T Lemos, F Monte, R Braz-Filho (2007). Ácido canárico (3,4-seco derivado do lupano) em própolis do Ceará. *Quim Nova*, **30**(4), 828-831.

145. E Cooper (2007). Colony collapse disorder may affect complementary and alternative medicine. *eCAM*, **4**(3), 275–277.

146. M Nogueira, M Diaz, P Tagami, J Lorscheide (2007). Atividade microbiana de óleos essenciais e extratos de própolis sobre bactérias cariogên. *J Basic Appl Pharmaceut Sci*, **28**(1), 93-97.

147. C Abramson, P Wanderley, M Wanderley, J Silva, L Michaluk (2007). The effect of essential oils of sweet fennel and pignut on mortality and learning in Africanized honeybees (*Apis mellifera* L.) (Hymenoptera: Apidae). *Neotrop Entomol,* **36**(6), 828-835.

148. B Silva, P Rosalen, J Cury, M Ikegaki, V Souza, A Esteves, S Alencar (2008). Chemical composition and botanical origin of red propolis, a new type of Brazilian propolis. *eCAM*, **5**(3), 313-316.

149. A Daugsch, C Moraes, P Fort, Y Park (2008). Brazilian red propolis- chemical composition and botanical origin. *eCAM*, **5**(4), 435-441.

150. F Li, S Awale, Y Tezuka, S Kadota (2008). Cytotoxic constituents from Brazilian red propolis and their structure- activity relationship. *Bioorg Med Chem*, **16**(10), 5434-5440.

151. K Inoue, M Saito, T Kanai, T Kawata, N Shigematsu, T Uno, K Isobe, C Liu, H Ito (2008). Anti-tumor effects of water-soluble propolis on a mouse sarcoma cell line *in vivo* and *in vitro*. *Am J Chin Med*, **36**(3), 625-634.

152. S Lustosa, A Galindo, L Nunes, K Randau, P Neto (2008). Propolis: updates on chemistry and pharmacology. *Braz J Pharmacogn*, **18**(3), 447-454.

153. M Búfalo, J Candeias, J Sforcin (2009). *In vitro* cytotoxic effect of Brazilian green propolis on human laryngeal epidermoid carcinoma (HEp-2) cells. *eCAM*, **6**(4), 483-487.

154. A Siqueira, B Gomes, I Cambuim, R Maia, S Abreu, C Souza-Motta, L De Queiroz, A Porto (2009). Trichophyton species susceptibility to green and red propolis from Brazil. *Lett Appl Microbiol*, **48**(1), 90-96.

155. S Libério, A Pereira, M Araújo, R Dutra, F Nascimento, V Monteiro-Neto, M Ribeiro, A Gonçalves, R Guerra (2009). The potential use of propolis as a cariostatic agent and its actions on mutans group Streptococci. *J Ethnopharmacol*, **125**(1), 1-9.

156. M Soeiro, A Dantas, A Daliry, C da Silva, D Batista, E de Souza, G Oliveira, K Salomão, M Batista, M Pacheco, P da Silva, R Santa-Rita, R Barreto, D Boykin, S de Castro (2009). Experimental chemotherapy for Chagas disease: 15 years of research contributions from *in vivo* and *in vitro* studies. *Mem Inst Oswaldo Cruz*, **104**(Suppl 1), 301-310.

157. M Castro, W Vilela, R Zauli, M Ikegaki, V Redher, M Foglio, S de Alencar, P Rosalen (2009). Bioassay guided purification of the antimicrobial fraction of a Brazilian propolis from Bahia state. *BMC Compl Alternative Med*, **9**:25.

158. I Cabral, T Oldoni, A Prado, R Bezerra, S de Alencar, M Ikegaki, P Rosalen (2009). Composição fenólica, atividade antibacteriana e antioxidante da própolis vermelha brasileira. *Quim Nova*, **32**(6), 1523-1527.

159. L Nunes, A Galindo, A de Deus, D Rufino, K Randau, H Xavier, A Cito, P Neto (2009). Variabilidade sazonal dos constituintes da própolis vermelha e bioatividade em *Artermia salina*. *Braz J Pharmacogn*, **19**(2B), 524-529.

160. E Teixeira, D Message, G Negri, A Salatino, P Stringheta (2010). Seasonal variation, chemical composition and antioxidant activity of Brazilian propolis samples. *eCAM*, **7**(3), 307-315.

161. A Iio, K Ohguchi, H Inoue, H Maruyama, Y Araki, Y Nozawa, M Ito (2010). Ethanolic extracts of Brazilian red propolis promote adipocyte differentiation through PPARγ activation. *Phytomedicine*, **17**(12), 974–979.

162. N Vinod, M Haridas, C Sadasivan (2010). Isolation of 1,4-naphthalenedione, an antibacterial principle from the leaves of *Holoptelea integrifolia* and its activity against β-lactam resistant *Staphylococcus aureus*. *Indian J Biochem Biophys*, **47**(1), 53-55.

163. D Majiene, I Macioniene, L Kursvietiene, J Bernatoniene, J Davalgiene, R Lazauskas, A Savickas (2010). The effect of propolis on microbial vitality and oxygen consumption. *J Med Plants Res*, **4**(10), 953-958.

164. F Ali, G Kassem, O Atta-Alla (2010). Propolis as a natural decontaminant and antioxidant in fresh oriental sausage. *Veterinaria Italiana*, **46**(2), 167-172.

165. R Darwish, R Fares, M Zarga, I Nazer (2010). Antibacterial effect of Jordanian propolis and isolated flavonoids against human pathogenic bacteria. *Afr J Biotechnol*, **9**(36), 5966-5974.

166. V Ishida, G Negri, A Salatino, M Bandeira (2011). A new type of Brazilian propolis: prenylated benzophenones in propolis from Amazon and effects against cariogenic bacteria. *Food Chem*, **125**(3), 966-972.

167. H Xuan, J Zhao, J Miao, Y Li, Y Chu, F Hu (2011). Effect of Brazilian propolis on human umbilical vein endothelial cell apoptosis. *Food Chem Toxicol*, **49**(1), 78–85.

168. T Oldoni, I Cabral, M d'Arce, P Rosalen, M Ikegaki, A Nascimento, S Alencar (2011). Isolation and analysis of bioactive isoflavonoids and chalcone from a new type of Brazilian propolis. *Separ Purif Tech,* **77**(2), 208–213.

169. A Salatino, C Fernandes-Silva, A Righi, M Salatino (2011). Propolis research and the chemistry of plant products. *Nat Prod Rep*, **28**(5), 925-936.

170. A Piccinelli, C Lotti, L Campone, O Cuesta-Rubio, M Fernandez, L Rastrelli (2011). Cuban and Brazilian red propolis: botanical origin and comparative analysis by high-performance liquid chromatography-photodiode array detection / electrospray ionization tandem mass spectrometry. *J Agric Food Chem*, **59**(12), 6484-6491.

171. N Hendi, H Naher, A Al-Charrakh (2011). *In vitro* antibacterial and antifungal activity of Iraqi propolis. *J Med Plants Res*, **5**(20), 5058-5066.

172. A Righi, T Alves, G Negri, L Marques, H Breyer, A Salatino (2011). Brazilian red propolis: unreported substances, antioxidant and antimicrobial activities. *J Sci Food Agr*, **91**(13), 2363-2370.

173. F Ibanez, R Zoppolo (2011). Assessment of allelopathic properties of *Baccharis dracunculifolia* DC in laboratory and field conditions. *Allelopathy J*, **28**(1), 77-86.

174. C Lotti, G de Castro, L de Sa, B da Silva, A Tessis, A Piccinelli, L Rastrelli, A Ferreira-Pereira (2011). Inhibition of *Saccharomyces cerevisiae* Pdr5p by a natural compound extracted from Brazilian red propolis. *Braz J Pharmacogn*, **21**(5), 901-907.

175. M Abbasi, S Mahdavi, S Mehrabian (2011). Evaluation of anticarcinogenicity effect of *Artemia urmiana* by *Salmonella typhimurium* TA 100 strain. *Afr J Microbiol Res*, **5**(16), 2241-2244.

176. V Campos, H Santos Júnior, D Oliveira, H de Carvalho, A Machado, A Tirelli (2011). Antibacterial activity of propolis produced by *Frieseomelitta varia*. *Ciênc Agrotecnol*, **35**(6), 1043-1049.

177. M Miguel, M Antunes (2011). Is propolis safe as an alternative medicine. *J Pharm Bioallied Sci*, **3**(4), 479-495.

178. A Iio, K Ohguchi, H Maruyama, S Tazawa, Y Araki, K Ichihara, Y Nozawa, M Ito (2012). Ethanolic extracts of Brazilian red propolis increase ABCA1 expression and promote cholesterol efflux from THP-1 macrophages. *Phytomed*, **19**(5), 383-388.

179. H Afrouzan, C Amirinia, S Mirhadi, A Ebadollahi, N Vaseji, G Tahmasbi (2012). Evaluation of antimicrobial activity of propolis and nanopropolis against *Staphylococcus aureus* and *Candida albicans*. *Afr J Microbiol Res*, **6**(2), 421-425.

180. K Tan, R Nishida (2012). Methyl eugenol: its occurrence, distribution, and role in nature, especially in relation to insect behavior and pollination. *J Insect Sci*, **12**(56), 1-60.

181. M Ismail, J Hussain, A Khan, A L Khan, L Ali, F Khan, A Z Khan, U Niaz, I J Lee (2012). Antibacterial, antifungal, cytotoxic, phytotoxic, insecticidal and enzyme inhibitory activities of *Geranium wallichianum*. *eCAM* **2012**, Art ID 305906.

182. V Wagh, R Borkar (2012). Indian propolis: a potential natural antimicrobial and antifungal agent. *Int J Pharm Pharmaceut Sci*, **4**(4), 12-17.

183. Cuesta-Rubio, A Piccinelli, L Rastrelli (2012). Tropical propolis: recent advances in chemical components and botanical origin. In *Medicinal Plants: Biodiversity and Drugs*, M Rai, G Cordell, J Martinez, M Marinoff, L Rastrelli (Eds), CRC Press, USA, pp. 209-240.

184. B López, A Sawaya (2012). A review of the plant origins, composition and biological activity of red propolis. In *Natural Products: Structure, Bioactivity and Application*, R Goncalves, M Pinto (Eds), Nova Science Publishers, New York, pp 75-89.

185. R Robles-Zepeda, J Martínez, A Escobar, D Rivera, C Contreras (2012). Botanical origin and biological activity of propolis. In *Medicinal Plants: Biodiversity and Drugs*, M Rai, G Cordell, J Martinez, M Marinoff, L Rastrelli (Eds), CRC Press, Boca Raton, pp 570-598.

186. V Toreti, H Sato, G Pastore, Y Park (2013). Recent progress of propolis for its biological and chemical compositions and its botanical origin. *eCAM*, **2013**, Art ID 697390.

187. L Marghitas, D Dezmirean, O Bobis (2013). Important developments in Romanian propolis research. *eCAM*, **2013**, Art ID 159392.

188. A Righi, G Negri, A Salatino (2013). Comparative chemistry of propolis from eight Brazilian localities. *eCAM*, **2013**, Art ID 267878.

189. J Gil-Gonzalez, D Durango-Restrepo, B Rojano, J Marin-Loaiza (2013). Antioxidant activity and chemical composition of Colombian propolis. In *Natural Antioxidants and Biocides from Wild Medicinal Plants*, C Céspedes, D Sampietro, D Seigler, M Rai (Eds), CAB International, UK, pp. 92-115.

190. F Abd El-Hady, K Shaker, J Imhoff, H Zinecker, N Salah, A Ibrahim (2013). Bioactive metabolites from propolis inhibit superoxide anion radical, acetylcholinesterase and phosphodiesterase (PDE4). *Int J Pharm Sci Rev Res*, **21**(1), 338-344.

191. M Camargo, A Prieto, F Resende, P Boldrin, C Cardoso, M Fernández, J Molina-Molina, N Olea, W Vilegas, O Cuesta-Rubio, E Varanda (2013). Evaluation of estrogenic, antiestrogenic and genotoxic activity of nemorosone, the major compound found in brown Cuban propolis. *BMC Compl Alternative Med*, **13**:201.

192. R Wojtyczka, A Dziedzic, D Idzik, M Kępa, R Kubina, A Kabała-Dzik, J Smoleń-Dzirba, J Stojko, M Sajewicz, T Wąsik (2013). Susceptibility of *Staphylococcus aureus* clinical isolates to propolis extract alone or in combination with antimicrobial drugs. *Molecules*, **18**(8), 9623-9640.

193. C Eyng, A Murakami, R Pedroso, T Silveira, D Lourenço, A Garcia (2013). Crude propolis as an immunostimulating agent in broiler feed during the starter phase. *Semin: Ciên Agrár*, **34**(5), 2511-2522.

194. L Martin, E Rocha, S Garcia, J Paula (2013). Topical Brazilian propolis improves corneal wound healing and inflammation in rats following alkali burns. *BMC Compl Alternative Med*, **13**:337.

195. C Zhang, S Ping, S Huang, F Hu (2013). Research progress in geographic origins, plant origins and chemistry of propolis. *Chin Pharmaceut J*, **48**(22), 1889-1892.

196. B López, E Schmidt, M Eberlin, A Sawaya (2014). Phytochemical markers of different types of red propolis. *Food Chem*, **146**, 174–180.

197. D Kasote, T Suleman, W Chen, M Sandasi, A Viljoen, S van Vuuren (2014). Chemical profiling and chemometric analysis of South African propolis. *Biochem Systemat Ecol*, **55**, 156–163.

198. P Boonsai, P Phuwapraisirisan, C Chanchao (2014). Antibacterial activity of a cardanol from Thai *Apis mellifera* propolis. *Int J Med Sci*, **11**(4), 327-336.

199. K Begnini, P de Leon, H Thurow, E Schultze, V Campos, F Rodrigues, S Borsuk, O Dellagostin, L Savegnago, M Roesch-Ely, S Moura, F Padilha, T Collares, J Henriques, F Seixas (2014). Brazilian red propolis induces apoptosis-like cell death and decreases migration potential in bladder cancer cells. *eCAM*, **2014**, Art ID 639856.

200. S Huang, C Zhang, K Wang, G Li, F Hu (2014). Recent advances in the chemical composition of propolis. *Molecules*, **19**, 19610-19632.

201. M Kročko, M Bobko, O Bučko, M Čanigová, V Ducková (2014). Sensory quality, colour and oxidative stability of cured cooked ham with propolis extract. *Potravinarstvo*, **8**(1), 102-106.

202. R Paganotti, J Rezende, P Barbeira (2014). Discrimination between producing regions of Brazilian propolis by UV-VIS spectroscopy and partial least squares discriminant analysis. *Curr Anal Chem,* **10**(4), 537-544.

203. U Czyzewska , J Konończuk , J Teul , P Dragowski , R Pawlak -Morka, A Surazyński, W Miltyk (2015). Verification of chemical composition of commercially available propolis extracts by gas chromatography–mass spectrometry analysis. *J Med Food*, **18**(5), 584-591.

204. C Eyng, A Murakami, T Santos, T Silveira, R Pedroso, D Lourenço (2015). Immune responses in broiler chicks fed propolis extraction residue-supplemented diets. *Asian Australas J Anim Sci*, **28**(1), 135-142.

205. D Ribeiro, A Alves, E dos Santos, F Padilha, M Gomes, A Rabelo, J Cardoso, A Massarioli, S de Alencar, R de Albuquerque Jr (2015). Inhibition of DMBA-induced oral squamous cell carcinomas growth by Brazilian red propolis in rodent model. *Basic Clin Pharmacol Toxicol*, **117**(2), 85-95.

206. B Pippi, A Lana, R Moraes, C Güez, M Machado, L de Oliveira, G von Poser, A Fuentefria (2015). *In vitro* evaluation of the acquisition of resistance, antifungal activity and synergism of Brazilian red propolis with antifungal drugs on *Candida* spp. *J Appl Microbiol*, **118**(4), 839-850.

207. L Grenho, J Barros, C Ferreira, V Santos, F Monteiro, M Ferraz, M Cortes (2015). *In vitro* antimicrobial activity and biocompatibility of propolis containing nanohydroxyapatite. *Biomed Mater*, **10**(2):025004.

208. P Kalia, N Kumar, K Harjai (2015). The therapeutic potential of propolis against damage caused by *Salmonella typhimurium* in mice liver: a biochemical and histological study. *Arch Biol Sci*, **67**(3), 807-816.

209. M Bobko, M Kročko, P Haščík, A Bobková (2015). Oxidative stability of chicken meat after propolis extract application in their diets. *Potravinarstvo*, **9**(1), 48-52.

210. M Benhanifia, W Mohamed (2015). Phenolics constituents of different types of propolis and their antimicrobial activities. *Anti-Infective Agents*, **13**(1), 17-27.

211. A Siqueira, L Rodriguez, R Santos, R Marinho, S Abreu, R Peixoto, B Gurgel (2015). Antifungal activity of propolis against *Candida* species isolated from cases of chronic periodontitis. *Braz Oral Res*, **29**(1), 1-6.

212. S Martinotti, E Ranzato (2015). Propolis: a new frontier for wound healing. *Burns & Trauma*, **3**(1):9.

213. L de Mendonça, F de Mendonça, Y de Araújo, E de Araújo, S Ramalho, N Narain, S Jain, S Orellana, F Padilha, J Cardoso (2015). Chemical markers and antifungal activity of red propolis from Sergipe, Brazil. *Food Sci Tech*, **35**(2), 291-298.

214. B López, C de Lourenço, D Alves, D Machado, M Lancellotti, A Sawaya (2015). Antimicrobial and cytotoxic activity of red propolis: an alert for its safe use. *J Appl Microbiol*, **119**(3), 677-687.

215. T Suleman, S van Vuuren, M Sandasi, A Viljoen (2015). Antimicrobial activity and chemometric modelling of South African propolis. *J Appl Microbiol*, **119**(4), 981–990.

216. I de Mendonça, I Porto, T do Nascimento, N de Souza, J Oliveira, R Arruda, K Mousinho, A dos Santos, I Basílio-Júnior, A Parolia, F Barreto (2015). Brazilian red propolis: phytochemical screening, antioxidant activity and effect against cancer cells. *BMC Compl Alternative Med*, **15**:357.

217. S Boisard, T Huynh, F Escalante-Erosa, L Hernandez-Chavez, L Pena-Rodriguez, P Richomme (2015). Unusual chemical composition of a Mexican propolis collected in Quintana Roo, Mexico. *J Apicul Res*, **54**(4), 350-357.

218. I Freires, S de Alencar, P Rosalen (2016). A pharmacological perspective on the use of Brazilian red propolis and its isolated compounds against human diseases. *Eur J Med Chem*, **110**, 267-279.

219. L Dolabella, J Oliveira, V Lins, T Matencio, W Vasconcelos (2016). Ethanol extract of propolis as a protective coating for mild steel in chloride media. *J Coat Technol Res*, **13**(3), 543-555.

220. D Fasolo, A Bergold, G von Poser, H Teixeira (2016). Determination of benzophenones in lipophilic extract of Brazilian red propolis, nanotechnology-based product and porcine skin and mucosa. Analytical and bioanalytical assays. *J Pharmaceut Biomed Anal*, **124**, 57–66.

221. I Freires, V Queiroz, V Furletti, M Ikegaki, S de Alencar, M Duarte, P Rosalen (2016). Chemical composition and antifungal potential of Brazilian propolis against *Candida* spp. *J Med Mycol*, **26**(2), 122-132.

222. G Doganli (2016). Phenolic content and antibiofilm activity of propolis against clinical MSSA strains. *Rec Nat Prod*, **10**(5), 617-627.

223. E Alday, M Navarro-Navarro, A Garibay-Escobar, R Robles-Zepeda, J Hernandez, C Velazquez (2016). Advances in pharmacological activities and chemical composition of propolis produced in Americas. In *Beekeeping and Bee Conservation - Advances in Research*, E Chambo (Ed), InTech, Rijeka, pp. 99-151.

224. W Auamcharoen, C Phankaew (2016). Antibacterial activity and phenolic content of propolis from four different areas of Thailand. *Int J Pharmaceut Sci Rev Res*, **37**(1), 77-82.

225. T do Nascimento, P da Silva, L Azevedo, L da Rocha, I Porto, T e Moura, I Basílio-Júnior, L Grillo, C Dornelas, E Fonseca, E Oliveira, A Zhang, D Watson (2016). Polymeric nanoparticles of Brazilian red propolis extract: preparation, characterization, antioxidant and leishmanicidal activity. *Nanoscale Res Lett*, **11**:301.

226. C Machado, J Mokochinski, T de Lira, F de Oliveira, M Cardoso, R Ferreira, A Sawaya, A Ferreira, C Pessoa, O Cuesta-Rubio, M Monteiro, M de Campos, Y Torres

(2016). Comparative study of chemical composition and biological activity of yellow, green, brown, and red Brazilian propolis. *eCAM*, **2016**, Art ID 6057650.

227. M Das Neves, N Araújo, E Oliveira, M Agra (2016). Leaf and stem anatomy and histochemistry of *Dalbergia ecastaphyllum*. *Pharmacogn J,* **8**(6), 557-564.

228. F Abd El-Hady, A Souleman, I Ibrahim, M Abdel-Aziz, Z El-Shahid, E Ali, M Elsarrag (2016). Cytotoxic, anti-acetylcholinesterase, antioxidant and antimicrobial activities of Sudanese propolis with correlation to its GC/MS and HPLC analysis *Der Pharmacia Lettre*, **8**(19), 339-350.

229. M Onay, A Onay (2016). Theoretical calculations and structural and electronic properties of isoflavanes: arvensan and isosativan. *Acta Hortic*, **1145**, 97-100.

230. M Bruschi, R Pereira, L de Francisco (2016). The use of propolis in micro/nanostructured pharmaceutical formulations. *Recent Pat Drug Deliv Formul*, **10**(2), 130-140.

231. C Saricoban, S Yerlikaya (2016). Inhibitory effects of ethanolic extracts of propolis at different concentrations against *Staphylococcus aureus* and *Escherichia coli* O157:H7 Investigations on strains inoculated onto minced beef. *Fleischwirtschaft*, **96**(4), 194-200.

232. S-H Sung, G-H Choi, N-W Lee, B-C Shin (2017). External use of propolis for oral, skin and genital diseases: a systematic review and meta-analysis. *eCAM*, **2017**, Art ID 8025752.

233. F Corrêa, F Schanuel, N Moura-Nunes, A Monte-Alto-Costa, J Daleprane (2017). Brazilian red propolis improves cutaneous wound healing suppressing inflammation-associated transcription factor NF-kB. *Biomed Pharmacother*, **86**, 162–171.

234. K Yambayamba, M Mpandamwike (2017). Effect of *Aloe vera* and propolis on egg production and egg size in commercial layers under Zambian conditions. *Livest Res Rural Dev*, **29**(1):5.

235. E-K Soltani, R Cerezuela, N Charef, S Mezaache-Aichour, M Esteban, M Zerroug (2017). Algerian propolis extracts: chemical composition, bactericidal activity and *in vitro* effects on gilthead seabream innate immune responses. *Fish Shellfish Immunol*, **62**, 57–67.

236. E Almeida, M Silva, J Oliveira, R Kamiya, R Arruda, D Vieira, V Silva, P Escodro, I Basílio-Júnior, T do Nascimento (2017). Chemical and microbiological characterization of tinctures and microcapsules loaded with Brazilian red propolis extract. *J Pharmaceut Anal*, **7**(5), 280-287.

237. M Neto, S Tintino, A da Silva, M Costa, A Boligon, E Matias, V Balbino, I Menezes, H Coutinho (2017). Seasonal variation of Brazilian red propolis: Antibacterial activity, synergistic effect and phytochemical screening. *Food Chem Toxicol*, **107B**, 572-580.

238. C Frozza, D Santos, L Rufatto, L Minetto, F Scariot, S Echeverrigaray, C Pich, S Moura, F Padilha, S Borsuk, L Savegnago, T Collares, F Seixas, O Dellagostin, M Roesch-Ely, J Henriques (2017). Antitumor activity of Brazilian red propolis fractions against Hep-2 cancer cell line. *Biomed Pharmacother*, **91**, 951–963.

239. C Yen, H Chiu, C Wu, Y Lu, Y Han, Y Shen, K Venkatakrishnan, C Wang (2017). Beneficial efficacy of various propolis extracts and their digestive products by *in vitro* simulated gastrointestinal digestion. *LWT - Food Sci Tech*, **84**, 281-289.

240. L Rufatto, D dos Santos, F Marinho, J Henriques, M Ely, S Moura (2017). Red propolis: chemical composition and pharmacological activity. *Asian Pac J Trop Biomed*, **7**(7), 591-598.

241. N Aminimoghadamfarouj, A Nematollahi (2017). Propolis diterpenes as a remarkable bio-source for drug discovery development: a review. *Int J Mol Sci*, **18**(6):1290.

242. H Shokri, F Katiraee, M Fatahinia, M Minooeianhaghighi (2017). Chemical composition and antifungal potential of Iranian propolis against *Candida krusei* strains, *J Apicult Res*, **56**(5), 581-587.

243. S Khan (2017). Recent advances in role of propolis as natural additive in poultry nutrition. *J Apicult Sci*, **61**(2), 167-183.

244. N Aminimoghadamfarouj, A Nematollahi (2017). Structure elucidation and botanical characterization of diterpenes from a specific type of bee glue. *Molecules*, **22**(7):1185.

245. T Stan, E Teodor, F Gatea, M Chifiriuc, V Lazăr (2017). Antioxidant and antifungal activity of Romanian propolis. *Rom Biotechnol Lett*, **22**(6), 13116-13124.

246. M de Freitas, M de Miranda, D de Oliveira, S Vieira-Filho, R Caligiorne, S de Figueiredo (2017). Biological activities of red propolis: a review. *Recent Patents on Endocrine, Metabolic and Immune Drug Discovery*, **11**(1), 3-12.

247. M Franchin, I Freires, J Lazarini, B Nani, M da Cunha, D Colon, S de Alencar, P Rosalen (2018). The use of Brazilian propolis for discovery and development of novel antiinflammatory drugs. *Eur J Med Chem*, **153**, 49-55.

248. T ur Rehman, A Khan, A Abbas, J Hussain, F Khan, K Stieglitz, S Ali (2018). Investigation of nepetolide as a novel lead compound: antioxidant, antimicrobial, cytotoxic, anticancer, antiinflammatory, analgesic activities and molecular docking. *Saudi Pharm J*, **26**(3), 422-429.

249. A Oryan, E Alemzadeh, A Moshiri (2018). Potential role of propolis in wound healing: biological properties and therapeutic activities. *Biomed Pharmacother*, **98**, 469–483.

250. A Fianco, A Lucas, D Fasolo, R Almeida, B Pippi, C Güez, A Fuentefria, R Vargas, H Teixeira, G von Poser, E Cassel (2018). Polyprenylated benzophenone-enriched extracts obtained using SC–CO_2 from the dry ethanolic extract of Brazilian red propolis. *Separ Sci Tech*, **53**(11), 1724-1731.

251. Ã Sena-Lopes, F Bezerra, R das Neves, R de Pinho, M Silva, L Savegnago, T Collares, F Seixas, K Begnini, J Henriques, M Roesch-Ely, L Rufatto, S Moura, T Barcellos, F Padilha, O Dellagostin, S Borsuk (2018). Chemical composition, immunostimulatory, cytotoxic and antiparasitic activities of the essential oil from Brazilian red propolis. *PLoS ONE*, **13**(2):e0191797.

252. J Pai, Y Lee, S Chen, Y Leu, M Weng (2018). Propolin C inhibited migration and invasion via suppression of EGFR-mediated epithelial-to-mesenchymal transition in human lung cancer cells. *eCAM*, **2018**, Art ID 7202548.

253. L Azevedo, P Silva, M Brandão, L da Rocha, C Aragão, S da Silva, I Porto, I Basílio- Júnior, E Fonseca, M de Moura, T do Nascimento (2018). Polymeric nanoparticle systems loaded with red propolis extract: a comparative study of the encapsulating systems, PCL-Pluronic versus Eudragit®E100-Pluronic. *J Apicult Res*, **57**(2), 255-270.

254. E de Souza, E da Silva, H Cordeiro, N Filho, F da Silva, D dos Reis, C Porto, E Pilau, L da Costa, A de Souza, C Menezes, A Flach (2018). Chemical compositions and antioxidant and antimicrobial activities of propolis produced by *Frieseomelitta longipes* and *Apis mellifera* bees. *Quim Nova*, **41**(5), 485-491.

255. T do Nascimento, A Silva, P Constant, S da Silva, M de Moura, C de Almeida, V Silva, A Wanderley, I Basílio Júnior, P Escodro (2018). Phytochemical screening, antioxidant and antibacterial activities of some commercial extract of propolis, *J Apicult Res*, **57**(2), 246-254.

256. M de Pontes, I Vasconcelos, M Diniz, H Pessôa (2018). Chemical characterization and pharmacological action of Brazilian red propolis. *Acta Brasiliensis*, **2**(1), 34-39.

257. V Hiebl, A Ladurner, S Latkolik, V Dirsch (2018). Natural products as modulators of the nuclear receptors and metabolic sensors LXR, FXR and RXR. *Biotechnol Adv*, **36**(6), 1657-1698.

258. D Dembogurski, D Trentin, A Boaretto, G Rigo, R da Silva, T Tasca, A Macedo, C Carollo, D Silva (2018). Brown propolis-metabolomic innovative approach to determine compounds capable of killing *Staphylococcus aureus* biofilm and *Trichomonas vaginalis*. *Food Res Int*, **111**, 661-673.

259. J Araujo, L Mendonça-Melo, E Araujo, R Fernandes, R Scher (2018). Phenolic composition and leishmanicidal activity of red propolis and *Dalbergia ecastaphyllum* (L.) Taub (Fabaceae) extracts from Sergipe, Brazil. *Braz Arch Biol Technol*, **61**: e18160461.

260. D Devequi-Nunes, B Machado, G Barreto, J Silva, D da Silva, J da Rocha, H Brandão, V Borges, M Umsza-Guez (2018). Chemical characterization and biological activity of six different extracts of propolis through conventional methods and supercritical extraction. *PLoS ONE*, **13**(12):e0207676.

261. R Hassan, G Mosaad, H Abd El-wahab (2018). Effect of feeding propolis on growth performance of broilers. *J Adv Vet Res*, **8**(3), 66-72.

262. L Rufatto, P Luchtenberg, C Garcia, C Thomassigny, S Bouttier, J Henriques, M Roesch-Ely, F Dumas, S Moura (2018). Brazilian red propolis: chemical composition and antibacterial activity determined using bioguided fractionation. *Microbiol Res*, **214**, 74-82.

263. K Kripal, K Chandrasekaran, S Chandrasekaran, V Kumar, S Chavan, A Dileep (2019). Treatment of dentinal hypersensitivity using propolis varnish: A scanning electron microscope study. *Indian J Dent Res*, **30**, 249-253.

264. A Sorucu, H Oruç (2019). Determination of biologically active phenolic compounds in propolis by LC–MS/MS according to seasons and altitudes. *J Food Meas Char*, In Press, doi: 10.1007/s11694-019-00166-9.

Публикация 6: E Peneva, **B Trusheva**, M Gyosheva, P Georgieva, S Popov, V Bankova (2006). Chemical constituents and potential cytotoxicity of *Hygrophorus agathosmus*. *Phcog Mag*, **2**(6), 123-125.

265. A Teichert, T Lübken, J Schmidt, C Kuhnt, M Huth, A Porzel, L Wessjohann, N Arnold (2008). Determination of β-carboline alkaloids in fruiting bodies of *Hygrophorus* spp. by Liquid Chromatography/Electrospray Ionisation Tandem Mass Spectrometry. *Phytochem Anal*, **19**(4), 335-341.

266. C Denchev, B Assyov (2010). Checklist of the larger basidiomycetes in Bulgaria. *Mycotaxon,* **111**, 279-283.

Публикация 7: V Bankova, M Popova, **B Trusheva** (2006). Plant sources of propolis: an update from a chemist's point of view. *Nat Prod Comm*, **1**(11), 1023-1028.

267. Y Fujiwara, M Mangetsu, P Yang, H Kofujita, K Suzuki, Y Ohfune, T Shinada (2008). A quinone isolated from the nest of *Vespa simillima* and its growth-inhibitory effect on rat liver cancer cells. *Biol Pharm Bull*, **31**(4), 722-725.

268. S Kumazawa, J Nakamura, M Murase, M Miyagawa, M Ahn, S Fukumoto (2008). Plant origin of Okinawan propolis: honeybee behavior, observation and phytochemical analysis. *Naturwissenschaften*, **95**(8), 781-786.

269. A Popolo, A Piccinelli, S Morello, O Cuesta-Rubio, R Sorrentino, L Rastrelli, A Pinto (2009). Antiproliferative activity of brown Cuban propolis extract on human breast cancer cells. *Nat Prod Comm*, **4**(12), 1711-1716.

270. N Sha, H Huang, J Zhang, G Chen, S Tao, M Yang, X Li, P Li, D Guo (2009). Simultaneous quantification of eight major bioactive phenolic compounds in Chinese propolis by High-performance liquid chromatography. *Nat Prod Comm*, **4**(6), 813-818.

271. A El-Bassuony, S AbouZid (2010). A new prenylated flavanoid with antibacterial activity from propolis collected in Egypt. *Nat Prod Comm*, **5**(1), 43-45.

272. M Simone-Finstrom, M Spivak (2010). Propolis and bee health: the natural history and significance of resin use by honey bees. *Apidologie*, **41**(3), 295-311.

273. F Li, S Awale, Y Tezuka, S Kadota (2010). Cytotoxicity of constituents from Mexican propolis against a panel of six different cancer cell lines. *Nat Prod Comm*, **5**(10), 1601-1606.

274. N Vera, E Solorzano, R Ordoñez, L Maldonado, E Bedascarrasbure, M Isla (2011). Chemical composition of Argentinean propolis collected in extreme regions and its relation with antimicrobial and antioxidant activities. *Nat Prod Comm*, **6**(6), 823-827.

275. V Tran, R Duke, A Abu-Mellal, C Duke (2012). Propolis with high flavonoid content collected by honey bees from *Acacia paradoxa*. *Phytochem*, **81**, 126–132.

276. L Marghitas, D Dezmirean, O Bobis (2013). Important developments in Romanian propolis research. *eCAM*, **2013**, 159392.

277. J Bertrams, M Müller, N Kunz, D Kammerer, F Stintzing (2013). Phenolic compounds as marker compounds for botanical origin determination of German propolis samples based on TLC and TLC-MS. *J Appl Bot Food Qual*, **86**, 143-153.

278. M Wilson, M Spivak, A Hegeman, A Rendahl, J Cohen (2013). Metabolomics reveals the origins of antimicrobial plant resins collected by honey bees. *PLoS ONE*, **8**(10):e77512.

279. S Inui, T Hosoya, S Kumazawa (2014). Hawaiian propolis: comparative analysis and botanical origin. *Nat Prod Comm*, **9**(2), 165-166.

280. S Park, T Ohta, S Kumazawa, M Jun, M Ahn (2014). Korean propolis suppresses angiogenesis through inhibition of tube formation and endothelial cell proliferation. *Nat Prod Comm*, **9**(4), 555-560.

281. M Isla, A Salas, F Danert, C Zampini, R Ordoñez (2014). Analytical methodology optimization to estimate the content of non-flavonoid phenolic compounds in Argentine propolis extracts. *Pharmaceut Biol*, **52**(7), 835-840.

282. H Hepburn, C Pirk, O Duangphakdee (2014). Material properties of scale and comb wax. In *Honeybee Nests: Composition, Structure, Function*, H Hepburn, C Pirk, O Duangphakdee (Eds), Springer-Verlag Berlin Heidelberg, pp. 273-299.

283. D Papachroni, K Graikou, I Kosalec, H Damianakos, V Ingram, I Chinou (2015). Phytochemical analysis and biological evaluation of selected African propolis samples from Cameroon and Congo. *Nat Prod Comm*, **10**(1), 67-70.

284. P Ristivojević, J Trifković, F Andrić, D Milojković-Opsenica (2015). Poplar-type propolis: chemical composition, botanical origin and biological activity", *Nat Prod Comm*, **10**(11), 1869–1876.

285. A Salas, M Alberto, C Zampini, S Cuello, L Maldonado, J Ríos, G Schmeda-Hirschmann, M Isla (2016). Biological activities of polyphenols-enriched propolis from Argentina arid regions. *Phytomed*, **23**(1), 27–31.

286. S Tazawa, Y Arai, S Hotta, T Mitsui, H Nozaki, K Ichihara (2016). Discovery of a novel diterpene in Brown propolis from the State of Parana, Brazil. *Nat Prod Comm*, **11**(2), 201-205.

287. A Salas, M Mercado, C Zampini, G Ponessa, M Isla (2016). Determination of botanical origin of propolis from Monte Region of Argentina by histological and chemical methods. *Nat Prod Comm*, **11**(5), 627-630.

288. V Isidorov, S Bakier, E Pirożnikow, M Zambrzycka, I Swiecicka (2016). Selective behaviour of honeybees in acquiring European propolis plant precursors. *J Chem Ecol*, **42**(6), 475–485.

289. C Duke, V Tran, R Duke, A Abu-Mellal, G Plunkett, D King, K Hamid, K Wilson, R Barrett, J Bruhl (2017). A sedge plant as the source of Kangaroo Island propolis rich in prenylated p-coumarate ester and stilbenes. *Phytochem*, **134**, 87–97.

290. F Galeotti, L Crimaldi, F Maccari, V Zaccaria, A Fachini, N Volpi (2017). Selective treatment to reduce contamination of propolis by polycyclic aromatic hydrocarbons (PAHs) still preserving its active polyphenol component and antioxidant activity. *Nat Prod Res*, **31**(17), 1971-1980.

291. V Isidorov, K Buczek, G Zambrowski, K Miastkowski, I Swiecicka (2017). *In vitro* study of the antimicrobial activity of European propolis against *Paenibacillus larvae*. *Apidologie*, **48**(3), 411–422.

292. M Wilson, A Pawlus, D Brinkman, G Gardner, A Hegeman, M Spivak, J Cohen (2017). 3-Acyl dihydroflavonols from poplar resins collected by honey bees are active against the bee pathogens *Paenibacillus larvae* and *Ascosphaera apis*. *Phytochem*, **138**, 83-92.

293. M Jug, O Karas, I Kosalec (2017). The influence of extraction parameters on antimicrobial activity of propolis extracts. *Nat Prod Comm*, **12**(1), 47-50.

294. S Gardini, D Bertelli, L Marchetti, R Graziosi, D Pinetti, M Plessi, G L Marcazzan (2018). Chemical composition of Italian propolis of different ecoregional origin. *J Apicult Res*, **57**(5), 639-647.

295. V Isidorov, K Buczek, A Segiet, G Zambrowski, I Swiecicka (2018). Activity of selected plant extracts against honey bee pathogen *Paenibacillus larvae*. *Apidologie*, **49**(6), 687–704.

296. A Salas, I Zampini, L Maldonado, M Isla (2018). Development of a bioproduct for medicinal use with extracts of *Zuccagnia*-type propolis. Nat Prod Comm, 13(2), 167-170.

297. N Salim, E Omar, W Omar, R Mohamed (2018). Chemical constituents and antioxidant activity of ethanolic extract of propolis from Malaysian stingless bee *Geniotrigona thoracica* species. *Res J Pharm Biol Chem Sci*, **9**(6), 646-651.

298. N Drescher, A-M Klein, T Schmitt, S Leonhardt (2019). A clue on bee glue: new insight into the sources and factors driving resin intake in honeybees (*Apis mellifera*). *PLoS ONE*, **14**(2):e0210594.

299. S Falcão, M Lopes, M Vilas-Boas (2019). A first approach to the chemical composition and antioxidant potential of Guinea-Bissau propolis. *Nat Prod Comm*, **14**(5), doi: 10.1177/1934578X19844138.

300. M Woźniak, L Mrówczyńska, A Waśkiewicz, T Rogoziński, I Ratajczak (2019). Phenolic profile and antioxidant activity of propolis extracts from Poland. *Nat Prod Comm*, **14**(5), doi: 10.1177/1934578X19849777.

<u>Публикация 9 (B1):</u> B Trusheva, D Trunkova, V Bankova (2007). Different extraction methods of biologically active components from propolis: a preliminary study. *Chem Centr J*, **1**:13.

301. K Pyrzynska, M Biesaga (2009). Analysis of phenolic acids and flavonoids in honey. *TrAC-Trends Anal Chem*, **28**(7), 893-902.

302. J Muselík, R Masteiková, V Suchý, Z Chalupová, V Ostrá (2009). Stanovení obsahových látek propolisů různého geografického původu. *Čes Slov Farm*, **58**(4), 179-183.

303. E Ophori, B Eriagbonye, P Ugbodaga (2010). Antimicrobial activity of propolis against *Streptococcus mutans*. *Afr J Biotechnol*, **9**(31), 4966-4969.

304. E Ophori, E Wemabu (2010). Antimicrobial activity of propolis extract on bacteria isolated from nasopharynx of patients with upper respiratory tract infection admitted to Central Hospital, Benin City, Nigeria. *Afr J Microbiol Res*, **4**(16), 1719-1723.

305. S Abdullah, S Mudalip, S Shaarani, N Che Pi (2010). Ultrasonic extraction of oil from *Monopterus albus*: Effects of different ultrasonic power, solvent volume and sonication time. *J Appl Sci*, **10**(21), 2713-2716.

306. M Liu, W Hu (2010). Highly efficient microwave-assisted and ultrasonic-assisted extraction. In *Proceedings of the Second China Energy Scientist Forum*, J Liu, W Ni (Eds), Scientific Research Publishing, USA, pp. 98-101.

307. M Cantarelli, J Camiña, E Pettenati, E Marchevsky, R Pellerano (2011). Trace mineral content of Argentinean raw propolis by neutron activation analysis (NAA): Assessment of geographical provenance by chemometrics. *LWT-Food Sci Tech*, **44**(1), 256-260.

308. M Medic-Saric, V Rastija, M Bojic (2011). Recent advances in the application of high performance liquid chromatography in the analysis of polyphenols in wine and propolis. *J AOAC Int*, **94**(1), 32-42.

309. M Biesaga (2011). Influence of extraction methods on stability of flavonoids. *J Chrom A*, **1218**(18), 2505-2512.

310. G Sulaiman, K Al Sammarrae, A Ad'hiah, M Zucchetti, R Frapolli, E Bello, E Erba, M D'Incalci, R Bagnati (2011). Chemical characterization of Iraqi propolis samples and assessing their antioxidant potentials. *Food Chem Toxicol*, **49**(9), 2415-2421.

311. S Guo, S Fu, Z Shen, Z Zhang, Q Xu (2011). Chemical composition, biological activity and application in animal science of propolis-A review. In *Advances in Biomedical Engineering*, J Hu (Ed), Newark, USA, pp. 98-101.

312. W El-Shouny, F Muagam, Z Sadik, W Hamza (2012). Antimicrobial activity of propolis extract on URT infections in pediatric patients admitted to Al-Thowrah Hospital, Hodeidah City, Yemen. *World J Med Sci*, **7**(3), 172-177.

313. S Sanpa, K Sutjarittangtham, T Tunkasiri, S Eitssayeam, P Chantawannakul (2012). Ultrasonic extraction of Thai propolis for antimicrobial and antioxidant properties. *Adv Mater Res*, **506**, 371-374.

314. S Sanpa, K Sutjarittangtham, T Tunkasiri, S Eitssayeam, P Chantawannakul (2012). Antimicrobial effect of Brazillian propolis/Polycaprolactone polymer on some human pathogenic bacteria. *Adv Mater Res*, **506**, 537-540.

315. G Sulaiman, A Ad'hiah, K Al-Sammarrae, R Bagnati, R Frapolli, E Bello, S Uboldi, M Romano, N Panini, E Scanziani, M Pezzolato, E Erba, M D'Incalci (2012). Assessing the anti-tumour properties of Iraqi propolis *in vitro* and *in vivo*. *Food Chem Toxicol*, **50**(5), 1632–1641.

316. R Cooper (2012). Natural products. In *Russell, Hugo & Ayliffe's: Principles and Practice of Disinfection, Preservation and Sterilization, 5th Edition*, A Fraise, J-Y Maillard, S Sattar (Eds), Wiley-Blackwell, Oxford, pp. 550-564.

317. M Biesaga, K Pyrzyńska (2013). Stability of bioactive polyphenols from honey during different extraction methods. *Food Chem,* **136**(1), 46–54.

318. B Rocha, P Bueno, M Vaz, A Nascimento, N Ferreira, G Moreno, M Rodrigues, A Costa-Machado, E Barizon, J Campos, P de Oliveira, N Acésio, S Martins, D Tavares, A Berretta (2013). Evaluation of a propolis water extract using a reliable RP-HPLC methodology and *in vitro* and *in vivo* efficacy and safety characterisation. *eCAM*, **2013**, Art ID 670451.

319. F Pellati, F Prencipe, D Bertelli, S Benvenuti (2013). An efficient chemical analysis of phenolic acids and flavonoids in raw propolis by microwave-assisted extraction combined with high-performance liquid chromatography using the fused-core technology. *J Pharmaceut Biomed Anal*, **81–82**, 126–132.

320. K Ramanauskiene, A Inkeniene, V Petrikaite, V Briedis (2013). Total phenolic content and antimicrobial activity of different Lithuanian propolis solutions. *eCAM*, **2013**, Art ID 842985.

321. C Teo, W Chong, Y Ho (2013). Development and application of microwave-assisted extraction technique in biological sample preparation for small molecule analysis. *Metabolomics*, **9**(5), 1109-1128.

322. M Medic-Saric, M Bojic, V Rastija, J Cvek (2013). Polyphenolic profiling of Croatian propolis and wine. *Food Technol Biotechnol*, **51**(2) 159–170.

323. P Arulpriya, P Lalitha (2013). Evaluation of different extraction methods for optimization of extraction of aerial roots of *Rhaphidophora aurea* entwined over two diverse host trees. *Int J ChemTech Res*, **5**(5), 2173-2176.

324. L Yang, Q Yan, J Ma, Q Wang, J Zhang, G Xi (2013). High performance liquid chromatographic determination of phenolic compounds in propolis. *Trop J Pharmaceut Res*, **12**(5), 771-776.

325. S Khacha-Ananda, K Tragoolpua, P Chantawannakul, Y Tragoolpua (2013). Antioxidant and anti-cancer cell proliferation activity of propolis extracts from two extraction methods. *Asian Pac J Canc Prev*, **14**(11), 6991-6995.

326. G Balata, H El Nahas, S Radwan (2014). Propolis organogel as a novel topical delivery system for treating wounds. *Drug Delivery*, **21**(1), 55-61.

327. M El-Awady, D El-Agamy, G Suddek, M Nader (2014). Propolis protects against high glucose-induced vascular endothelial dysfunction in isolated rat aorta. *J Physiol Biochem,* **70**(1), 247-254.

328. I Karabegović, S Stojičević, D Veličković, Z Todorović, N Nikolić, M Lazić (2014). The effect of different extraction techniques on the composition and antioxidant activity of cherry laurel (*Prunus laurocerasus*) leaf and fruit extracts. *Ind Crop Prod*, **54**, 142–148.

329. W Abood, M Abdulla, S Ismail (2014). Involvement of inflammatory mediators in the gastroprotective action of *Phaleria macrocarpa* against ethanol-induced gastric ulcer. *World Appl Sci J*, **30**(30A), 344-350.

330. M Jug, M Končić, I Kosalec (2014). Modulation of antioxidant, chelating and antimicrobial activity of poplar chemo-type propolis by extraction procures. *LWT- Food Sci Tech*, **57**(2), 530-537.

331. W Abood, I Fahmi, M Abdulla, S Ismail (2014). Immunomodulatory effect of an isolated fraction from *Tinospora crispa* on intracellular expression of INF-γ, IL-6 and IL-8. *BMC Compl Alternative Med*, **14**:205.

332. Y Yeo, Y Chia, C Lee, H Sow, W Yap (2014). Effectiveness of maceration periods with different extraction solvents on *in vitro* antimicrobial activity from fruit of *Momordica charantia* L. *J App Pharm Sci*, **4**(10), 16-23.

333. S Kothai, B Jayanthi (2014). Evaluation of antioxidant and antimicrobial activity of stingless bee propolis (*Tetragonula iridipennis*) of Tamilnadu, India. *Int J Pharm Pharm Sci*, **6**(8), 81-85.

334. M Biesaga, K Czaplicka, T Gilevska, K Pyrzynska (2014). Influence of extraction methods on stability of polyphenols. In *Polyphenols: Food Sources, Bioactive Properties and Antioxidant Effects*, D Cobb (Ed), Nova Science Publishers, New York, pp. 217-230.

335. J Patel, S Ketkar, S Patil, J Fearnley, K Mahadik, A Paradkar (2015). Potentiating antimicrobial efficacy of propolis through niosomal-based system for administration. *Integr Med Res*, **4**(2), 94–101.

336. B Rivero-Cruz, A Martínez-Chávez (2015). Development and validation of a RP-HPLC method for the simultaneous quantification of flavonoids markers in Mexican propolis. *Food Anal Methods*, **8**(2), 413-419.

337. K Pyrzynska, A Sentkowska (2015). Recent developments in the HPLC separation of phenolic food compounds. *Crit Rev Anal Chem*, **45**(1), 41-51.

338. K Yeo, C Leo, D Chan (2015). Ultrasonic enhancement on propolis extraction at varied pH and alcohol content. *J Food Process Eng*, **38**(6), 562–570.

339. W Abood, N Al-Henhena, A Abood, M Al-Obaidi, S Ismail, M Abdulla, R Al Batran (2015). Wound-healing potential of the fruit extract of *Phaleria macrocarpa*. *Bosn J Basic Med Sci*, **15**(2), 25-30.

340. N Hamzah, C Leo (2015). Microwave-assisted extraction of *Trigona* propolis: the effects of processing parameters. *Int J Food Eng*, **11**(6), 861–870.

341. S Oses, L Melgosa, A Pascual-Mate, M Fernandez-Muino, M Sancho (2015). Design of a food product composed of honey and propolis. *J Apicult Res*, **54**(5), 461-467.

342. A Rzepecka-Stojko, J Stojko, A Kurek-Górecka, M Górecki, A Sobczak, R Stojko, E Buszman (2015). Polyphenol content and antioxidant activity of bee pollen extracts from Poland. *J Apicult Res*, **54**(5), 482-490.

343. T Ab Mutalib, Z Hamzah, O Hashim, H Mat (2015). Green technology approach towards herbal extraction method. *AIP Conf Proc*, **1660**(1), doi: 10.1063/1.4915826, 070109-1-070109-5.

344. P Nugitrangson, S Puthong, T Iempridee, W Pimtong, S Pornpakakul, C Chanchao (2016). *In vitro* and *in vivo* characterization of the anticancer activity of Thai stingless bee (*Tetragonula laeviceps*) cerumen. *Exp Biol Med* (Maywood), **241**(2), 166-176.

345. S Patel (2016). Emerging adjuvant therapy for cancer: propolis and its constituents. *J Diet Suppl*, **13**(3), 245-268.

346. G de Lima, R de Souza, A Bozzi, M Poplawska, D Devine, M Nugent (2016). Extraction method plays critical role in antibacterial activity of propolis-loaded hydrogels. *J Pharmaceut Sci*, **105**(3), 1248-1257.

347. J Sforcin (2016). Biological properties and therapeutic applications of propolis. *Phytother Res*, **30**(6), 894-905.

348. R Onbas, A Kazan, A Nalbantsoy, O Yesil-Celiktas (2016). Cytotoxic and nitric oxide inhibition activities of propolis extract along with microencapsulation by complex coacervation. *Plant Foods Hum Nutr*, **71**(3), 286-293.

349. A Shabbir, M Rashid, H Tipu (2016). Propolis, a hope for the future in treating resistant periodontal pathogens. *Cureus*, **8**(7):e682.

350. I Tsibranska, B Tylkowski (2016). Solid-liquid extraction of bioactive compounds: effect of polydispersity and particle size evolution. *J Chem Technol Metall*, **51**(5), 489-499.

351. S Khacha-Ananda, K Tragoolpua, P Chantawannakul, Y Tragoolpua (2016). Propolis extracts from the northern region of Thailand suppress cancer cell growth through induction of apoptosis pathways. *Invest New Drugs*, **34**(6), 707-722.

352. M Vinodhkumar, V Brindha, J Kanagaraj, A Tamilselvi, S Sadulla (2016). Phyto-based preservation of raw skins for salinity reduction in tannery wastewater. *Revista de Pielarie Incaltaminte*, **16**(2), 113-132.

353. G Fayaz, S Goli, M Kadivar (2017). A novel propolis wax-based organogel: effect of oil type on its formation, crystal structure and thermal properties. *J Am Oil Chem Soc*, **94**(1), 47–55.

354. H Oruç, A Sorucu, H Ünal, L Aydın (2017). Effects of season and altitude on biological active certain phenolic compounds levels and partial standardization of propolis. *Vet J Ankara Univ*, **64**(1), 13-20.

355. S Molnár, K Mikuska, K Patonay, K Sisa, H Daood, E Némedi, A Kiss (2017). Comparative studies on polyphenolic profile and antimicrobial activity of propolis samples selected from distinctive geographical areas of Hungary. *Food Sci Tech Int*, **23**(4), 349–357.

356. S Nanaware, M Shelar, A Sinnathambi, K R Mahadik, S Lohidasan (2017). Neuroprotective effect of Indian propolis in β-amyloid induced memory deficit: Impact on behavioral and biochemical parameters in rats. *Biomed Pharmacother*, **93**, 543–553.

357. I Gajger, I Pavlović, M Bojić, I Kosalec, S Srečec, T Vlainić, J Vlainić (2017). Components responsible for antimicrobial activity of propolis from continental and Mediterranean regions in Croatian. *Czech J Food Sci*, **35**(5), 376–385.

358. D Kasote, M Pawar, R Bhatia, V Nandre, S Gundu, S Jagtap, M Kulkarni (2017). HPLC, NMR based chemical profiling and biological characterisation of Indian propolis. *Fitoterapia*, **122**, 52–60.

359. F Al-Bayaty, I bin Ismail, Z Zain, N Nasruddin, N Suradi (2017). Formulation and evaluation of new biodegradable periodontal chips from Malaysian propolis in chitosan base. *J Int Dent Med Res*, **10**(2), 292-298.

360. H Janmanchi, A Raju, M Degani, M Ray, M Rajan (2017). Antituberculosis, antibacterial and antioxidant activities of *Aegiceras corniculatum*, a mangrove plant and effect of various extraction processes on its phytoconstituents and bioactivity. *S Afr J Bot*, **113**, 421–427.

361. S Nanaware, S Lohidasan, K Mahadik (2017). Marker-based standardization and investigation of nutraceutical potential of Indian propolis. *J Integr Med*, **15**(6), 483–494.

362. R Spulber, T Colţa, N Băbeanu, O Popa (2017). Chemical diversity of polyphenols from bee pollen and propolis. *AgroLife Sci J*, **6**(2), 183-194.

363. A Hakim (2017). Identification of the secondary metabolite compounds from cempedak tree leaves (*Artocarpus integer*). In *Proceedings of the 2nd Sari Mulia International Conference on Health and Sciences 2017 (SMICHS 2017)*, **6**, 334-336.

364. W Zuharah, M Thiagaletchumi, N Fadzly, S Subramaniam, Z Yahaya, H Dieng (2018). Larvicidal effectiveness of acethonilic and methanolic *Ipomoea cairica* extract using two extraction methods and its effects on the morphology of *Culex quinquefasciatus* Say mosquito. *Oriental Insects*, **52**(1), 16-30.

365. N Hamzah, C Leo (2018). Fouling evaluation on membrane distillation used for reducing solvent in polyphenol rich propolis extract. *Chin J Chem Eng*, **26**(3), 477-483.

366. A M Fikri, A Sulaeman, S Marliyati, M Fahrudin (2018). Antiemetic activity of *Trigona* spp. propolis from three provinces of Indonesia with two methods of extraction. *Pharmacogn J*, **10**(1), 120-122.

367. I Escriche, M Juan-Borrás (2018). Standardizing the analysis of phenolic profile in propolis. *Food Res Int*, **106**, 834–841.

368. S Mirković, K Rajković, S Jeremić, M Gavrilović, L Tomić, V Arsenijević, B Krstić (2018). Kinetic profile of the antioxidant activity of propolis extract: 2,2-diphenyl-1-picrylhydrazyl radical bleaching assay. *J Apicult Sci*, **62**(1), 39–46.

369. S Sasidharan, Shanmugapriya, S Jothy, S Vijayarathna, N Kavitha, C Oon, Y Chen, S Dharmaraj, N Lai, J Kanwar (2018). Conventional and non-conventional approach towards the extraction of bioorganic phase. In *Bioorganic Phase in Natural Food: An Overview*, S Roopan, G Madhumitha (Eds), Springer, Cham, pp. 41-57.

370. T Siriwoharn, S Surawang (2018). Protective effect of sweet basil extracts against vitamin C degradation in a model solution and in guava juice. *J Food Process Preserv*, **42**(7): e13646.

371. H Rahman, K Muhammad, F Sattar, R Abdullah, H Othman, S Yeap, M Chartrand, K Amin (2018). The effectiveness of super ovulation and multiple

pregnancies in Sprague Dawley rat using *Morus alba* Linn. fruit. *Int J Med Res Health Sci*, **7**(1), 17-26.

372. J Román, C Walsh, J Oh, C Dana, S Hong, K Jo, M Alleyne (2018). Spatially resolved chemical analysis of cicada wings using laser-ablation electrospray ionization (LAESI) imaging mass spectrometry (IMS). *Anal Bioanal Chem*, **410**(7), 1911-1921.

373. E Dănilă, Z Moldovan, M Popa, M Chifiriuc, A Kaya, M Kaya (2018). Chemical composition, antimicrobial and antibiofilm efficacy of *C. limon* and *L. angustifolia* EOs and of their mixtures against *Staphylococcus epidermidis* clinical strains. *Ind Crop Prod*, **122**, 483–492.

374. F Bahmani, S Esmaeili, D Bashash, A Gharehbaghian (2018). Cytotoxicity of three species of *Centaurea* genus on acute lymphoblastic leukemia cell line (Nalm-6). *J Med Plants*, **2**(66), 156-166.

375. M Souri, V Hoseinpour, A Shakeri, N Ghaemi (2018). Optimisation of green synthesis of MnO nanoparticles via utilising response surface methodology. *IET Nanobiotechnology*, **12**(6), 822–827.

376. A Di Capua, A Bejarano, R Adami, E Reverchon (2018). Preparation and characterization of Chilean propolis coprecipitates using Supercritical Assisted Atomization. *Chem Eng Res Des*, **136**, 776-785.

377. S Anjum, A Ullah, K Khan, M Attaullah, H Khan, H Ali, M Bashir, M Tahir, M Ansari, H Ghramh, N Adgaba, C Dash (2018). Composition and functional properties of propolis (bee glue): a review. *Saudi J Biol Sci*, In Press, https://doi.org/10.1016/j.sjbs.2018.08.013.

378. T Ozdal, G Sari-Kaplan, E Mutlu-Altundag, D Boyacioglu, E Capanoglu (2018). Evaluation of Turkish propolis for its chemical composition, antioxidant capacity, anti-proliferative effect on several human breast cancer cell lines and proliferative effect on fibroblasts and mouse mesenchymal stem cell line. *J Apicult Res*, **57**(5), 627-638.

379. S Gardini, D Bertelli, L Marchetti, R Graziosi, D Pinetti, M Plessi, G L Marcazzan (2018). Chemical composition of Italian propolis of different ecoregional origin. *J Apicult Res*, **57**(5), 639-647.

380. K Sowjanya, S Swati, K Supriyanka, S Rajiya, B Meena, P Poojitha (2018). Anti-inflammatory activity of methanolic extract of *Hibiscus plantifolius*. *Asian J Pharm Clin Res*, **11**(11), 398-400.

381. B Chua, J Poh, A Ali (2018). Extraction kinetic of *Ziziphus jujuba* fruit using solid-liquid extraction. *J Eng Sci Tech*, **13**(7th EURECA 2016 Special Issue), 27-39.

382. R Putra, F Reizandy, A Faizal, I Kinasih (2018). Effication of local propolis as edible coating of tangerine cultivar Garut (*Citrus reticulata* Blanco). *IOP Conf Ser: Earth Environ Sci*, **187**:012025.

383. D Devequi-Nunes, B Machado, G Barreto, J Silva, D da Silva, J da Rocha, H Brandão, V Borges, M Umsza-Guez (2018). Chemical characterization and biological activity of six different extracts of propolis through conventional methods and supercritical extraction. *PLoS ONE*, **13**(12):e0207676.

384. S Khacha-ananda, K Saenphet, S Saenphet, K Tragoolpua, P Chantawannakul, Y Tragoolpua (2018). Evaluation of the stability of propolis granule and toxicity study in Wistar rats. *Chiang Mai J Sci*, **45**(1), 162-176.

385. A Popova, D Mihaylova (2018). A review of the medicinal plants in Bulgaria-collection, storage, and extraction techniques. *Asian J Pharm Clin Res*, **11**(3), 28-35.

386. P A Ulloa, J Vidal, C L de Dicastillo, F Rodriguez, A Guarda, R M S Cruz, M J Galotto (2019). Development of poly(lactic acid) films with propolis as a source of active compounds: biodegradability, physical, and functional properties. *J Appl Polym Sci*, **136**(8):47090.

387. M Rodrigues, A Matkowski, S Ślusarczyk, C Magné, T Poleze, C Pereira, L Custódio (2019). Sea knotgrass (*Polygonum maritimum* L.) as a potential source of innovative industrial products for skincare applications. *Ind Crop Prod*, **128**, 391–398.

388. M Achmad, S Ramadhany, F Suryajaya (2019). *Streptococcus* colonial growth of dental plaque inhibition using flavonoid extract of ants nest (*Myrmecodia pendans*): an *in vitro* study. *Pesquisa Brasileira em Odontopediatria e Clínica Integrada*, **19**(1):e4250.

389. N Ecem-Bayram, Y Gercek (2019). Appropriate maceration duration for the extraction of propolis. *Fresen Environ Bull*, **28**(1), 188-192.

390. M Uçar, O Değer (2019). Evaluation of cytotoxic and wound healing effect of DMEM extracts of Turkish propolis in MDA-MB-231 cell lines. *Trop J Pharmaceut Res*, **18**(2), 321-325.

391. S Izadpanah, A Abdolghaffari, F Farjadmand, M Eftekhari, M Baeeri, M Rahimifard, S Momtaz, M Abdollahi, R Rahimi, M Shams Ardekani (2019). Beneficial effects of *Trachyspermum ammi* (L.) Sprague on rat irritable bowel syndrome. *Res J Pharmacogn*, **6**(2), 57-66.

392. A Ali, B Chua, Y Chow (2019). An insight into the extraction and fractionation technologies of the essential oils and bioactive compounds in *Rosmarinus officinalis* L.: Past, present and future. *TrAC- Trends Anal Chem*, **118**, 338-351.

393. A Fikri, A Sulaeman, S Marliyati, M Fahrudin (2019). Antioxidant activity and total phenolic content of stingless bee propolis from Indonesia. *J Apicult Sci*, **63**(1), 139-147.

394. Azizian-Shermeh, M Valizadeh, M Taherizadeh, M Beigomi (2019). Phytochemical investigation and phytosynthesis of eco-friendly stable bioactive gold and silver nanoparticles using petal extract of saffron (*Crocus sativus* L.) and study of their antimicrobial activities. *Appl Nanosci*, In Press, doi: 10.1007/s13204-019-01059-5.

Публикация 10: V Bankova, M Popova, **B Trusheva** (2007). Plant origin of propolis: latest developments and importance for research and medicinal use. In *Apicultura De la Stiinta la Agribusiness Si Apiterapie*, L Marghitas, D Dezmirean (Eds), Editura Academic Press, Cluj Napoca, pp. 40-46.

395. A Adewumi, A Ogunjinmi (2011). The healing potential of honey and propolis lotion on septic wounds. *Asian Pac J Trop Biomed*, **1**(Suppl 1), S55-S57.

396. V Wagh (2013). Propolis: a wonder bees product and its pharmacological potentials. *Adv Pharmacol Sci*, **2013**, Art ID 308249.

397. W Siheri, S Alenezi, J Tusiimire, D Watson (2017). The Chemical and Biological Properties of Propolis. In *Bee Products-Chemical and Biological Properties*, J Alvarez-Suarez (Ed), Springer, Cham, pp. 137-178.

398. B Oluwadiya, O Adeyemi, O Olukomaiya, O Obasa, K Bello, A Ladokun (2017). Blood biochemical parameters and bacterial load in the gastrointestinal tract of broiler chickens raised under intensive and semi intensive management systems. *Trop Agric* (Trinidad), **94**(4), 382-395.

Публикация 11 (Г1): V Bankova, **B Trusheva**, M Popova (2008). New developments in propolis chemical diversity studies (since 2000). In *Scientific Evidence of the Use of Propolis in Ethnomedicine*, N Orsolic, I Basic (Eds), Transworld Research Network, Trivandrum, pp. 1-13.

399. M Simone-Finstrom, M Spivak (2010). Propolis and bee health: the natural history and significance of resin use by honey bees. *Apidologie*, **41**(3), 295-311.

400. N Vera, E Solorzano, R Ordoñez, L Maldonado, E Bedascarrasbure, M Isla (2011). Chemical composition of Argentinean propolis collected in extreme regions and its relation with antimicrobial and antioxidant activities. *Nat Prod Comm*, **6**(6), 823-827.

401. E Solórzano, N Vera, S Cuello, R Ordoñez, C Zampini, L Maldonado, E Bedascarrasbure, M Isla (2012). Chalcones in bioactive Argentine propolis collected in arid environments. *Nat Prod Comm*, **7**(7), 879–882.

402. A Özkırım, Ö Çelemli, A Schiesser, L Charistos, F Hatjina (2014). A comparison of the activities of Greek and Turkish propolis against *Paenibacillus larvae*. *J Apicult Res*, **53**(5), 528-536.

403. A Salas, M Mercado, C Zampini, G Ponessa, M Isla (2016). Determination of botanical origin of propolis from Monte Region of Argentina by histological and chemical methods. *Nat Prod Comm*, **11**(5), 627-630.

404. Q Al Gabbani, L Mansour, Y Elnakady, S Al-Quraishy, S Alomar, E Al- Shaebi, A Abdel-Baki (2017). *In vivo* assessment of the antimalarial and spleen-protective activities of the Saudi propolis methanolic extract. *Parasitol Res*, **116**(2), 539–547.

405. B Anđelković, L Vujisić, I Vučković, V Tešević, V Vajs, D Gođevac (2017). Metabolomics study of *Populus* type propolis. *J Pharmaceut Biomed Anal*, **135**, 217-226.

406. N Awang, N Ali, F Majid, S Hamzah, S Razak (2018). Total flavonoids and phenolic contents of sticky and hard propolis from 10 species of Indo-Malayan stingless bees. *Malays J Anal Sci*, **22**(5), 877-884.

Публикация 12 (Г2): M Popova, **B Trusheva**, M Gyosheva, I Tsvetkova, V Bankova (2009). Antibacterial triterpenes from the threatened wood-decay fungus *Fomitopsis rosea*. *Fitoterapia*, **80**(5), 263-266.

407. X Liu, A Winkler, W Schwan, T Volk, M Rott, A Monte (2010). Antibacterial compounds from mushrooms II: Lanostane triterpenoids and an ergostane steroid with activity against *Bacillus cereus* isolated from *Fomitopsis pinicola*. *Planta Med*, **76**(5), 464-466.

408. K Macakova, L Opletal, M Polasek, V Samkova (2010). Free-radical scavenging activity of some European polyporales. *Nat Prod Comm*, **5**(6), 923-926.

409. T Jiang, Z Lv, Y Wang, M Yue, J Peng (2010). On-line concentration by field-enhanced sample injection with reverse migrating micelles in micellar electrokinetic capillary chromatography for the analysis of triterpenoids from traditional Chinese medicine. *J Anal Chem*, **65**(9), 966-971.

410. S Adamczyk, B Adamczyk, V Kitunen, A Smolander (2011). Influence of diterpenes (colophony and abietic acid) and a triterpene (beta-sitosterol) on net N mineralization, net nitrification, soil respiration, and microbial biomass in birch soil. *Biol Fertil Soils*, **47**(6), 715-720.

411. N Bala, E Aitken, N Fechner, A Cusack, K Steadman (2011). Evaluation of antibacterial activity of Australian basidiomycetous macrofungi using a high-throughput 96-well plate assay. *Pharmaceut Biol*, **49**(5), 492-500.

412. R Hill, J Connolly (2011). Triterpenoids. *Nat Prod Rep*, **28**(6), 1087-1117.

413. N Bala, E Aitken, A Cusack, K Steadman (2012). Antimicrobial potential of Australian macrofungi extracts against foodborne and other pathogens. *Phytother Res*, **26**(3), 465-469.

414. A Smolander, S Kanerva, B Adamczyk, V Kitunen (2012). Nitrogen transformations in boreal forest soils—does composition of plant secondary compounds give any explanations. *Plant and Soil*, **350**(1-2), 1-26.

415. H Chen, R Wang, X Ge, J Zhang, N Du, W Wang, J Liu (2012). Competition and soil fungi affect the physiological and growth traits of an alien and a native tree species. *Photosynthetica*, **50**(1), 77-85.

416. W Schwan (2012). Mushrooms: an untapped reservoir for nutraceutical antibacterial applications and antibacterial compounds. *Curr Top Nutraceut Res*, **10**(1), 75-82.

417. S Heumann, D Rimmer, A Schlichting, G Abbott, P Leinweber, J Böttcher (2013). Effects of potentially inhibiting substances on C and net N mineralization of a sandy soil—a case study. *J Plant Nutr Soil Sci*, **176**(1), 35–39.

418. S Adamczyk, O Kiikkilä, V Kitunen, A Smolander (2013). Potential response of soil processes to diterpenes, triterpenes and tannins: nitrification, growth of microorganisms and precipitation of proteins. *Appl Soil Ecol*, **67**, 47–52.

419. C Arango, I Nieto (2013). Cultivo biotecnológico de macrohongos comestibles: una alternativa en la obtención de nutracéuticos. *Rev Iberoam Micol*, **30**(1), 1–8.

420. D De Silva, S Rapior, E Sudarman, M Stadler, J Xu, S Alias, K Hyde (2013). Bioactive metabolites from macrofungi: ethnopharmacology, biological activities and chemistry. *Fungal Divers*, **62**(1), 1-40.

421. M Karaman, M Stahl, J Vulić, M Vesić, J Čanadanović-Brunet (2014). Wild-growing lignicolous mushroom species as sources of novel agents with antioxidative and antibacterial potentials. *Int J Food Sci Nutr*, **65**(3), 311-319.

422. D Olennikov, S Agafonova, T Penzina, G Borovskii (2014). Fatty acid composition of fourteen wood-decaying Basidiomycete species growing in permafrost conditions. *Rec Nat Prod*, **8**(2), 184-188.

423. G Correa, V Abreu, D Martins, J Takahashi, H Fontoura, D Cara, D Pilo- Veloso, A Alcantara (2014). Anti- inflammatory and antimicrobial activities of steroids and triterpenes isolated from aerial parts of *Justicia acuminatissima* (Acanthaceae). *Int J Pharm Pharm Sci*, **6**(6), 75-81.

424. A Amoussa, L Lagnika, A Sanni (2014). *Acacia ataxacantha* (bark): chemical composition and antibacterial activity of the extracts. *Int J Pharm Pharm Sci*, **6**(11), 138-141.

425. I Podolak, Z Janeczko (2014). Pharmacological activity of natural non-glycosylated triterpenes. *Mini Rev Org Chem*, **11**(3), 280-291.

426. P Dresch, M D´Aguanno, K Rosam, U Grienke, J Rollinger, U Peintner (2015). Fungal strain matters: colony growth and bioactivity of the European medicinal polypores *Fomes fomentarius*, *Fomitopsis pinicola* and *Piptoporus betulinus*. *AMB Express*, **5**(1):4.

427. S Adamczyk, B Adamczyk, V Kitunen, A Smolander (2015). Monoterpenes and higher terpenes may inhibit enzyme activities in boreal forest soil. *Soil Biol Biochem*, **87**, 59–66.

428. K Ravikumar, P Greeshma, V George, K Janardhanan (2016). Antioxidant and anti-inflammatory activities of *Fomitopsis dochmius* (Berk. & Broome) Ryvarden. *Int J Pharm Sci Res*, **7**(9), 3666-3674.

429. S Johnston, L Boddy, A Weightman (2016). Bacteria in decomposing wood and their interactions with wood-decay fungi. *FEMS Microbiol Ecol*, **92**(11):fiw179.

430. G Boukes, T Koekemoer, M van de Venter, S Govender (2017). Cytotoxicity of thirteen South African macrofungal species against five cancer cell lines. *S Afr J Bot*, **113**, 62-67.

431. H-P Chen, J-K Liu (2017). Secondary Metabolites from Higher Fungi. In *Progress in the Chemistry of Organic Natural Products*, A D Kinghorn, H Falk, S Gibbons, J Kobayashi (Eds), vol 106, Springer, Cham, pp. 1-201.

432. V Ferreira-Silva, N Gusmão, T Gibertoni (2017). Antimicrobial activity of ethyl acetate extract of *Agaricomycetes* collected in Northeast Brazil. *Curr Res Environ Appl Mycol*, **7**(4), 267–274.

433. J Ríos, I Andújar (2017). Lanostanoids from Fungi as Potential Medicinal Agents. In *Fungal Metabolites*, J Mérillon, K Ramawat (Eds), Springer, Cham, pp. 931-964.

434. C Gaylan, J Estebal, O Tantengco, E Ragragio (2018). Anti-Staphylococcal and antioxidant properties of crude ethanolic extracts of macrofungi collected from the Philippines. *Pharmacogn J*, **10**(1), 106-109.

435. H Bao, Z Shi, S Feng (2018). Research progress on lanostane-type triterpenoids in fungi of Polyporaceae and their pharmacological activities. *Chin Tradit Herbal Drugs*, **49**(9), 2172-2187.

436. W Zhao, K Zan, J Wu, W Gao, Y Jie, Y Ba, X Wu, X Chen (2019), Antibacterial triterpenoids from the leaves of *Ilex hainanensis* Merr. *Nat Prod Res*, **33**(17), 2435-2439.

437. C Girometta (2019). Antimicrobial properties of *Fomitopsis officinalis* in the light of its bioactive metabolites: a review. *Mycology*, **10**(1), 32-39.

438. A dos Santos Dias, A Couzinet-Mossion, N Ruiz, F Lakhdar, S Etahiri, S Bertrand, L Ory, C Roussakis, Y Pouchus, E Nazih, G Wielgosz-Collin (2019). Steroids from marine-derived fungi: evaluation of antiproliferative and antimicrobial activities of eburicol. *Mar Drugs*, **17**(6), 372.

439. Y Tang, Z Zhao, T Feng, Z Li, H Chen, J Liu (2019). Triterpenes with unusual modifications from the fruiting bodies of the medicinal fungus *Irpex lacteus*. *Phytochem*, **162**, 21-28.

Публикация 13 (B2): B Tylkowski, **B Trusheva**, V Bankova, M Giamberini, G Peev, A Nikolova (2010). Extraction of biologically active compounds from propolis and concentration of extract by nanofiltration. *J Membr Sci*, **348**(1-2), 124-130.

440. Current Awareness in Phytochemical Analysis (2010). *Phytochem Anal*, **21**(6), 616–625.

441. S Darvishmanesh, L Firoozpour, J Vanneste, P Luis, J Degrève, B Van der Bruggen (2011). Performance of solvent resistant nanofiltration membranes for purification of residual solvent in the pharmaceutical industry: experiments and simulation. *Green Chem*, **13**(12), 3476-3483.

442. Y Barlak, O Deger, M Colak, S C Karatayli, A Bozdayi, F Yucesan (2011). Effect of Turkish propolis extracts on proteome of prostate cancer cell line. *Proteome Sci*, **9**:74.

443. C Charcosset (2012). *Membrame Processes in Biotechnology and Pharmaceutics*, Elsevier, Oxford, ISBN: 9780444563347.

444. K Vanherck, G Koeckelberghs, I Vankelecom (2013). Crosslinking polyimides for membrane applications: a review. *Progr Polymer Sci*, **38**(6), 874–896.

445. M Machado, B Mello, M Hubinger (2013). Study of alcoholic and aqueous extraction of pequi (*Caryocar brasiliense* Camb.) natural antioxidants and extracts concentration by nanofiltration. *J Food Eng*, **117**(4), 450–457.

446. K Hrobonova, J Cizmarik, J Lehotay, L Spisska (2013). Examination of the chemical composition of propolis VIII. Extraction of coumarins from propolis samples (in Slovenian). *Farmaceuticky Obzor*, **82**(1), 17-21.

447. I Tsibranska, I Saykova (2013). Combining nanofiltration and other separation methods. *J Chem Technol Metall*, **48**(4), 333-340.

448. T Fahrenwaldt, J Großeheilmann, F Erben, U Kragl (2013). Organic solvent nanofiltration as a tool for separation of quinine-based organocatalysts. *Org Process Res Dev*, **17**(9), 1131–1136.

449. L Mafioleti, I da Silva Jr, E Colodel, A Flach, D Martins (2013). Evaluation of the toxicity and antimicrobial activity of hydroethanolic extract of *Arrabidaea chica* (Humb. & Bonpl.) B. Verl. *J Ethnopharm*, **150**(2), 576-582.

450. D Peshev, A Livingston (2013). OSN Designer, a tool for predicting organic solvent nanofiltration technology performance using Aspen One, MATLAB and CAPE OPEN. *Chem Eng Sci*, **104**, 975–987.

451. J Sanchez-Rangel, J Benavides, D Jacobo-Velazquez (2014). Abiotic stress based bioprocesses for the production of high value antioxidant phenolic compound in plants: an overview. *Rev Mexic Ingen Quim*, **13**(1), 49-61.

452. J Pontis, L da Costa, S da Silva, A Flach (2014). Color, phenolic and flavonoid content, and antioxidant activity of honey from Roraima, Brazil. *Food Sci Tech (Campinas)*, **34**(1), 69-73.

453. N Nedji, W Loucif-Ayad (2014). Antimicrobial activity of Algerian propolis in foodborne pathogens and its quantitative chemical composition. *Asian Pac J Trop Dis*, **4**(6), 433-437.

454. M Michelon, A Manera, A Carvalho, F Filho (2014). Concentration and purification of galacto-oligosaccharides using nanofiltration membranes. *Int J Food Sci Tech*, **49**(8), 1953–1961.

455. D Cenic-Milosevic, Z Tambur, S Ivancajic, T Stanojkovic, N Grozdanic, Z Kulisic, Z Juranic (2014). Antiproliferative effects of *Tanaceti partheni*, *Hypericum perforatum* and propolis on HeLa cells. *Arch Biol Sci*, **66**(2), 705-712.

456. N Pujirahayu, H Ritonga, Z Uslinawaty (2014). Properties and flavonoids content in propolis of some extraction method of raw propolis. *Int J Pharm Pharm Sci*, **6**(6), 338-340.

457. N López-Gutiérrez, M Aguilera-Luiz, R Romero-González, J Vidal, A Frenich (2014). Fast analysis of polyphenols in royal jelly products using automated TurboFlow®-liquid chromatography–Orbitrap high resolution mass spectrometry. *J Chrom B*, **973**, 17–28.

458. V Koleva, E Simeonov (2014). Solid liquid extraction of phenolic and flavonoid compounds from *Cotinus coggygria* and concentration by nanofiltration. *Chem Biochem Eng Q*, **28**(4), 545–551.

459. C Conidi, A Cassano (2015). Recovery of phenolic compounds from bergamot juice by nanofiltration membranes. *Desalination Water Treat*, **56**(13), 3510-3518.

460. M Machado, B Mello, M Hubinger (2015). Evaluation of pequi (*Caryocar Brasiliense* Camb.) aqueous extract quality processed by membranes *Food Bioprod Process*, **95**, 304–312.

461. J Lin, W Ye, H Zeng, H Yang, J Shen, S Darvishmanesh, P Luis, A Sotto, B Van der Bruggen (2015). Fractionation of direct dyes and salts in aqueous solution using loose nanofiltration membranes. *J Membr Sci*, **477**, 183-193.

462. T Brás, O Guerreiro, M Duarte, L Neves (2015). Impact of extraction parameters and concentration by nanofiltration on the recovery of phenolic compounds from *Cynara cardunculus* var. *altilis*: Assessment of antioxidant activity. *Ind Crop Prod*, **67**, 137–142.

463. N Pujirahayu, H Ritonga, L Agustina, Z Uslinawaty (2015). Antibacterial activity of oil extract of *Trigona* propolis. *Int J Pharm Pharm Sci*, **7**(6), 419-422.

464. P Andrade, A de Faria, S Oliveira, M Arruda, M Gonçalves (2015). Improved antibacterial activity of nanofiltration polysulfone membranes modified with silver nanoparticles. *Water Res*, **81**, 333–342.

465. D Oliveira, F Melo, S Balogun, A Flach, E de Souza, G de Souza, I Rocha, L da Costa, I Soares, L da Silva, S Ascêncio, D Martin (2015). Antibacterial mode of action of the hydroethanolic extract of *Leonotis nepetifolia* (L.) R. Br. involves bacterial membrane perturbations. *J Ethnopharm*, **172**, 356–363.

466. B Machado, G Barreto, A Costa, S Costa, R Silva, D da Silva, H Brandão, J da Rocha, S Nunes, M Umsza-Guez, F Padilha (2015). Determination of parameters for the supercritical extraction of antioxidant compounds from green propolis using carbon dioxide and ethanol as co-solvent. *PLoS ONE*, **10**(8):e0134489.

467. J Paes, C da Cunha, L Viotto (2015). Concentration of lycopene in the pulp of papaya (*Carica papaya* l.) by ultrafiltration on a pilot scale. *Food Bioprod Process*, **96**, 296–305.

468. S Kumar, P Jain, K Ameta, D Kishore (2015). Carbazole and azacarbazole with cytotoxicity and anti mitochondrial potential. In *Natural Heterocycles: Extraction and Biological Activity*, K Ameta, S Chanthai (Eds), Nova Science Publishers, Inc., New York, pp. 227-250.

469. R Pereira, P Bártolo (2016). Traditional therapies for skin wound healing. *Adv Wound Care*, **5**(5), 208–229.

470. B Machado, R Silva, G Barreto, S Costa, D da Silva, H Brandão, J da Rocha, O Dellagostin, J Henriques, M Umsza-Guez, F Padilha (2016). Chemical composition and biological activity of extracts obtained by supercritical extraction and ethanolic extraction of brown, green and red propolis derived from different geographic regions in Brazil. *PLoS ONE*, **11**(1):e0145954.

471. R Rabelo, M Machado, J Martínez, M Hubinger (2016). Ultrasound assisted extraction and nanofiltration of phenolic compounds from artichoke solid wastes. *J Food Eng*, **178**, 170-180.

472. M Machado, S Trevisan, J Pimentel-Souza, G Pastore, M Hubinger (2016). Clarification and concentration of oligosaccharides from artichoke extract by a sequential process with microfiltration and nanofiltration membranes. *J Food Eng*, **180**, 120-128.

473. F Weinwurm, A Drljo, W Waldmüller, B Fiala, J Niedermayer, A Friedl (2016). Lignin concentration and fractionation from ethanol organosolv liquors by ultra- and nanofiltration. *J Cleaner Prod*, **136B**, 62–71.

474. W Auamcharoen, C Phankaew (2016). Antibacterial activity and phenolic content of propolis from four different areas of Thailand. *Int J Pharmaceut Sci Rev Res*, **37**(1), 77-82.

475. C Leo, K Yeo, Y Lease, C Derek (2016). Fouling evaluation on nanofiltration for concentrating phenolic and flavonoid compounds in propolis extract. *Membr Water Treat*, **7**(4), 327-339.

476. I Tsibranska, V Karabojikova, J Jeliazkov (2016). Concentration of flavonoids in ethanolic extracts from tobacco leaves through nanofiltration. *Bulg Chem Comm*, **48**(2), 232-237.

477. L Bazinet, A Doyen (2017). Antioxidants, mechanisms, and recovery by membrane processes. *Crit Rev Food Sci Nutr*, **57**(4), 677-700.

478. C Conidi, A Cassano, F Caiazzo, E Drioli (2017). Separation and purification of phenolic compounds from pomegranate juice by ultrafiltration and nanofiltration membranes. *J Food Eng*, **195**, 1–13.

479. A Cassano (2017). Recovery technologies for water-soluble bioactives: advances in membrane-based processes. In *Engineering Foods for Bioactives Stability and Delivery*, Y Roos, Y Livney (Eds), Springer, New York, pp 51-83.

480. C Lopresto, S Darvishmanesh, A Ehsanzadeh, A Amelio, S Mazinani, R Ramazani, V Calabrò, B Van der Bruggen (2017). Application of organic solvent nanofiltration for microalgae extract concentration. *Biofuels Bioprod Bioref*, **11**(2), 307-324.

481. X Zhu, R Bai (2017). Separation of biologically active compounds by membrane operations. *Curr Pharmaceut Des*, **23**(2), 218-230.

482. H Tuan, N Thao (2017). Recovering Bioactive Compounds from Edible Oil Wastes. In *Recovering Bioactive Compounds from Agricultural Wastes*, V T Nguyen (Ed), John Wiley & Sons, Ltd, Chichester, UK, pp 129-156.

483. S Lim, K Goh, T Bae, R Wang (2017). Polymer-based membranes for solvent-resistant nanofiltration: a review. *Chin J Chem Eng*, **25**(11), 1653-1675.

484. M Habati, A Gherib, B Bakchiche, A Benmebarek (2017). Study on the physicochemical, antioxidant properties and mineral content of five honeys produced in the Central region of Algeria. *Sci Stud Res CCEBFI*, **18**(2), 121–134.

485. A Cassano, G De Luca, C Conidi, E Drioli (2017). Effect of polyphenols-membrane interactions on the performance of membrane-based processes. A review. *Coord Chem Rev*, **351**, 45-75.

486. R Rozanna, N Soedarsono, R Farida (2017). Effect of propolis extract and propolis candies on the growth of *Streptococcus sanguinis* ATCC 10556. *Asian J Pharm Clin Res*, **10**(Suppl 5), 16-19.

487. B Mello, M Moraes (2017). Nanofiltration: a brief approach. In *Nanofiltration: Applications, Advancements and Research*, D Hamilton (Ed), Nova Science Publishers, Inc., New York, 2017, pp 1-19.

488. M Uyttebroek, P Vandezande, M Dael, S Vloemans, B Noten, B Bongers, W Porto-Carrero, M Unamunzaga, M Bulut, B Lemmens (2018). Concentration of phenolic compounds from apple pomace extracts by nanofiltration at lab and pilot scale with a techno-economic assessment. *J Food Process Eng*, **41**(1):e12629.

489. C Conidi, E Drioli, A Cassano (2018). Membrane-based agro-food production processes for polyphenol separation, purification and concentration. *Curr Opin Food Sci*, **23**, 149-164.

490. X Cheng, Z Wang, X Jiang, T Li, C Lau, Z Guo, J Ma, L Shao (2018). Towards sustainable ultrafast molecular-separation membranes: from conventional polymers to emerging materials. *Progr Mater Sci*, **92**, 258-283.

491. I de Moraes, R Rabelo, J Pereira, M Hubinger, F Schmidt (2018). Concentration of hydroalcoholic extracts of graviola (*Annona muricata* L.) pruning waste by ultra and nanofiltration: Recovery of bioactive compounds and prediction of energy consumption. *Journal of Cleaner Production*, **174**, 1412-1421.

492. G S Vieira, F K V Moreira, R L S Matsumoto, M Michelon, F M Filho, M D Hubinger (2018). Influence of nanofiltration membrane features on enrichment of jussara ethanolic extract (*Euterpe edulis*) in anthocyanins. *J Food Eng*, **226**, 31-41.

493. N Idrus, L Yian, Z Idham, N Aris, N Putra, A Aziz, M Yunus (2018). Mini review: application of supercritical carbon dioxide in extraction of propolis extract. *Mal J Fund Appl Sci*, **14**(4), 387-396.

494. S Nosheen (2019). Nanomembrane applications in environmental engineering. In *Nanotechnology Applications in Environmental Engineering*, R Nazir (Ed), IGI Global, Hershey, PA, pp 103-120.

495. S Mahmoud, E ElAbrak, M Aly, E Ali (2019) Oculohypotensive effects of various acetozolamide nanopreparations for topical treatment of animal model-induced glaucoma and their impact on optic nerve. *PLoS ONE*, **14**(2), e0212588.

496. J Wang, R He, X Han, D Jiao, J Zhu, F Lai, X Liu, J Liu, Y Zhang, B Van der Bruggen (2019). High performance loose nanofiltration membranes obtained by a catechol-based route for efficient dye/salt separation. *Chem Eng J*, **375**, 121982.

497. T Augusto-Obara, J de Oliveira, E da Gloria, M Spoto, K Godoy, T de Souza Vieira, E Scheuermann (2019). Benefits of superfine grinding method on antioxidant and antifungal characteristic of Brazilian green propolis extract. *Scientia Agricola*, **76**(5), 398-404.

498. Á Soós, É Bódi, S Várallyay, S Molnár, B Kovács (2019). Mineral content of propolis tinctures in relation to the extraction time and the ethanol content of the extraction solvent. *LWT*, **111**, 719-726.

Публикация 14 (B3): **B Trusheva**, I Todorov, M Ninova, H Najdenski, A Daneshmand, V Bankova (2010). Antibacterial mono- and sesquiterpene esters of benzoic acids from Iranian propolis. *Chem Centr J*, **4**:8.

499. K Sorimachi, T Nakamoto (2011). Alternative medicine safety: *Agaricus blazei* and propolis. *Comb Chem High Throughput Screen*, **14**(7), 616-621.

500. M Majdi, Q Liu, G Karimzadeh, M Malboobi, J Beekwilder, K Cankar, R de Vos, S Todorovic, A Simonovic, H Bouwmeester (2011). Biosynthesis and localization of parthenolide in glandular trichomes of feverfew (*Tanacetum parthenium* L. Schulz Bip.). *Phytochem*, **72**(14-15), 1739-1750.

501. M Miguel, M Antunes (2011). Is propolis safe as an alternative medicine. *J Pharm Bioallied Sci*, **3**(4), 479-495.

502. V Kuete, B Wiench, M Hegazy, T Mohamed, A Fankam, A Shahat, T Efferth (2012). Antibacterial activity and cytotoxicity of selected Egyptian medicinal plants. *Planta Med*, **78**(2), 193-199.

503. D Sawicka, H Car, M Borawska, J Nikliński (2012). The anticancer activity of propolis. *Folia Histochemica et Cytobiologica*, **50**(1), 25–37.

504. R Robles-Zepeda, J Martínez, A Escobar, D Rivera, C Contreras (2012). Botanical origin and biological activity of propolis. In *Medicinal Plants: Biodiversity and Drugs*, M Rai, G Cordell, J Martinez, M Marinoff, L Rastrelli (Eds), CRC Press, Boca Raton, pp 570-598.

505. L Sarker, Z Demissie, S Mahmoud (2013). Cloning of a sesquiterpene synthase from *Lavandula x intermedia* glandular trichomes. *Planta*, **238**(5), 983-989.

506. H Murase, M Shimazawa, M Kakino, K Ichihara, K Tsuruma, H Hara (2013). The effects of Brazilian green propolis against excessive light-induced cell damage in retina and fibroblast cells. *eCAM*, **2013**, 238279.

507. C Zhang, S Ping, S Huang, F Hu (2013). Research progress in geographic origins, plant origins and chemistry of propolis. *Chin Pharmaceut J*, **48**(22), 1889-1892.

508. Z Wang, C Huang, J Huang, H Han, G Li, J Wang, T Sun (2014). The stereochemistry of two monoterpenoid diastereomers from *Ferula dissecta*. *RSC Advances*, **4**(28), 14373-14377.

509. M Abubakar, W Abdullah, S Sulaiman, B Ang (2014). Polyphenols as key players for the antileukaemic effects of propolis. *eCAM*, **2014**, Art ID 371730.

510. P Sakava, E Talla, M Chelea, T Tchinda, E Zeuko'o, S Laurent, L Vander Elst, M Tagatsing, J Yaya, A Atchade, J Mbafor (2014). Pentacyclic triterpenes and crude extracts with antimicrobial activity from Cameroonian brown propolis samples. *J App Pharm Sci*, **4**(7), 1-9.

511. S Huang, C Zhang, K Wang, G Li, F Hu (2014). Recent advances in the chemical composition of propolis. *Molecules*, **19**, 19610-19632.

512. M Safari, L Badban, H Sameni, A Bandegi, A Rashidypour, A Vafaei (2014). Comparison the protective effects of aqueous extract of Iranian propolis in 6-hydroxydopamine-induced model of parkinsonism in male rat with L-DOPA: a behavioral and histological evaluation. *Koomesh*, **15**(4), 584-591.

513. M Benhanifia, W Mohamed (2015). Phenolics constituents of different types of propolis and their antimicrobial activities. *Anti-Infective Agents*, **13**(1), 17-27.

514. U Usman, M Mohamed (2015). Analysis of phytochemical compounds in water and ethanol extracts of Malaysian propolis. *Int J Pharm Bio Sci*, **6**(2), P374-P380.

515. U Usman, A Abu Bakar, M Mohamed (2016). Phytochemical composition and activity against hyperglycaemia of Malaysian propolis in diabetic rats. *Biomed Res*, **27**(1), 46-51.

516. A-K Aschenbrenner, M Kwon, J Conrad, D- K Ro, O Spring (2016). Identification and characterization of two bisabolene synthases from linear glandular trichomes of sunflower (*Helianthus annuus* L., Asteraceae). *Phytochem*, **124**, 29-37.

517. S Sajjadi, A-A Eskandarian, Y Shokoohinia, H-A Yousefi, M Mansourian, H Asgarian-Nasab, N Mohseni (2016). Antileishmanial activity of prenylated coumarins isolated from *Ferulago angulata* and *Prangos asperula*. *Res Pharmaceut Sci*, **11**(4), 324-331.

518. S Farooq, Atia-tul-Wahab, A Azarpira, Atta-ur-Rahman, M Choudhary (2016). Reversal of multi-drug resistance in *Staphylococcus aureus* by natural product-way forward. *Lett Drug Des Discov*, **13**(7), 668-675.

519. M Moniruzzaman, S Sulaiman, S Gan (2017). Phenolic acid and flavonoid composition of Malaysian honeys. *J Food Biochem*, **41**(2), e12282.

520. S Zingue, C Nde, T Michel, D Ndinteh, J Tchatchou, M Adamou, X Fernandez, F-N Fohouo, C Clyne, D Njamen (2017). Ethanol-extracted Cameroonian propolis exerts estrogenic effects and alleviates hot flushes in ovariectomized Wistar rats. *BMC Compl Alternative Med*, **17**:65.

521. B Popov, V Hristova, S Presilski, M Shariati, S Najman (2017). Assessment of heavy metals in propolis and soil from the Pelagonia region, Republic of Macedonia. *Maced J Chem Chem Eng*, **36**(1), 23–33.

522. C Santos-Buelga, A González-Paramás (2017). Phenolic Composition of Propolis. In *Bee Products-Chemical and Biological Properties*, J Alvarez-Suarez (Ed), Springer, Cham, pp. 99-111.

523. H Afrouzan, S Zakeri, A Mehrizi, S Molasalehi, A Tahghighi, M Shokrgozar, A Es-haghi, N Djadid (2017). Anti-plasmodial assessment of four different Iranian propolis extracts. *Arch Iran Med*, **20**(5), 270-281.

524. U Usman, A Abu Bakar, A Zin , M Mohamed (2017). LC-MS analysis and effects of Malaysian propolis on insulin, glucagon, pancreas and oxidative stress status in streptozotocin-induced diabetic rats. *J Med Biomed Res*, **16**(1), 15-27.

525. S Ghosh, R McArthur, Z Guo, R McKerchar, K Donkor, J Xu, N Cheeptham (2018). Evidence for anti-*Pseudogymnoascus destructans* (Pd) activity of propolis. *Antibiotics*, **7**(1), 2.

526. P T Seven, I Seven, B Baykalir, S Mutlu, A Salem (2018). Nanotechnology and nano-propolis in animal production and health: an overview. *Ital J Anim Sci*, **17**(4), 921-930.

527. T Hibi, H Ohtsuka, T Shimasaki, S Inui, M Shibuya, H Tatsukawa, K Kanie, Y Yamamoto, H Aiba (2018). Tschimganine and its derivatives extend the chronological life span of yeast via activation of the Sty1 pathway. *Genes to Cells*, **23**(8), 620-637.

528. Y Zhou, C Wang, F Xin, X Han, J Zhang, K Sun (2018). Synthesis, insecticidal, fungicidal activities and structure–activity relationships of tschimganin analogs. *Molecules*, **23**(6):1473.

529. N Bayram, K Sorkun, G Öz, B Salih, G Topçu (2018). Chemical characterization of 64 propolis samples from Hakkari, Turkey. *Rec Nat Prod*, **12**(6), 569-581.

530. M Zakerkish, M Jenabi, N Zaeemzadeh, A Hemmati, N Neisi (2019). The effect of iranian propolis on glucose metabolism, lipid profile, insulin resistance, renal function and inflammatory biomarkers in patients with type 2 diabetes mellitus: a randomized double-blind clinical trial. *Sci Rep*, **9**(1), 7289.

Публикация 15 (B4): B Trusheva, M Popova, E Koendhori, I Tsvetkova, H Najdenski, V Bankova (2011). Indonesian propolis: chemical composition, biological activity and botanical origin. *Nat Prod Res*, **25**(6), 606-613.

531. N Cardinault, M Cayeux, P du Sert (2012). La propolis: origine, composition et propriétés. *Phytothérapie*, **10**(5), 298-304.

532. S Inui, T Hosoya, Y Shimamura, S Masuda, T Ogawa, H Kobayashi, K Shirafuji, R Moli, I Kozone, K Shin-ya, S Kumazawa (2012). Solophenols B−D and Solomonin: New prenylated polyphenols isolated from propolis collected from the Solomon Islands and their antibacterial activity. *J Agric Food Chem*, **60**(47), 11765–11770.

533. A Pumerantz (2012). PEGylated liposomal vancomycin: a glimmer of hope for improving treatment outcomes in MRSA Pneumonia. *Recent Pat Anti-Infect Drug Discov*, **7**(3), 205-212.

534. M Sahlan, T Supardi (2013). Encapsulation of Indonesian propolis by casein micelle. *Int J Pharm Bio Sci*, **4**(1), 297–305.

535. J Yuan, Y Lu, S Abula, Y Hu, J Liu, Y Fan, X Zhao, D Wang, X Liu, C Liu (2013). Optimization on preparation condition of propolis flavonoids liposome by response surface methodology and research of its immunoenhancement activity. *eCAM*, **2013**, Art ID 505703.

536. M Muscat (2013). Use of propolis chemical and Asian tiger mosquito bites- case report and review. *Malta Med J*, **25**(1), 58-61.

537. V Toreti, H Sato, G Pastore, Y Park (2013). Recent progress of propolis for its biological and chemical compositions and its botanical origin. *eCAM*, **2013**, Art ID 697390.

538. G de Souza, L Pfenning, F de Moura, M Salgado, J Takahashi (2013). Isolation, identification and antimicrobial activity of propolis-associated fungi. *Nat Prod Res*, **27**(18), 1705-1707.

539. J Gil-Gonzalez, D Durango-Restrepo, B Rojano, J Marin-Loaiza (2013). Antioxidant activity and chemical composition of Colombian propolis. in *Natural Antioxidants and Biocides from Wild Medicinal Plants*, C Céspedes, D Sampietro, D Seigler, M Rai (Eds), CAB International, UK, pp. 92-115.

540. A De Groot (2013). Propolis: a review of properties, applications, chemical composition, contact allergy, and other adverse effects. *Dermatitis*, **24**(6), 263-282.

541. C Zhang, S Ping, S Huang, F Hu (2013). Research progress in geographic origins, plant origins and chemistry of propolis. *Chin Pharmaceut J*, **48**(22), 1889-1892.

542. Y Fan, L Ma, W Zhang, Y Xu, Suolangzhaxi, X Zhi, E Cui, X Song (2014). Microemulsion can improve the immune-enhancing activity of propolis flavonoid on immunosuppression and immune response. *Int J Biol Macromol*, **63**, 126-132.

543. Y Fan, L Ma, W Zhang, J Wang, Y Chen, Y Gao, W Feng, L Zhong, X Song (2014). The design of propolis flavone microemulsion and its effect on enhancing the immunity and antioxidant activity in mice. *Int J Biol Macromol*, **65**, 200-207.

544. S Kumazawa, M Murase, N Momose, S Fukumoto (2014). Analysis of antioxidant prenylflavonoids in different parts of *Macaranga tanarius*, the plant origin of Okinawan propolis. *Asian Pac J Trop Med*, **7**(1), 16-20.

545. E de Souza, H Inoue, A Fernandes Jr., N Veiga, R Orsi (2014). Influência da sazonalidade e método de produção na atividade antibacteriana da própolis, *Acta Sci Anim Sci*, **36**(1), 49-53.

546. P Kustiawan, S Puthong, E Arung, C Chanchao (2014). *In vitro* cytotoxicity of Indonesian stingless bee products against human cancer cell lines. *Asian Pac J Trop Biomed*, **4**(7), 549-556.

547. K Lee, G Sudjarwo, J Kim, S Dirgantara, W Maeng, H Hong (2014). The anti-inflammatory effect of Indonesian *Areca catechu* leaf extract *in vitro* and *in vivo*. *Nutr Res Pract*, **8**(3), 267-271.

548. M Kardar, T Zhang, G Coxon, D Watson, J Fearnley, V Seidel (2014). Characterisation of triterpenes and new phenolic lipids in Cameroonian propolis. *Phytochem*, **106**, 156–163.

549. S Huang, C Zhang, K Wang, G Li, F Hu (2014). Recent advances in the chemical composition of propolis. *Molecules*, **19**, 19610-19632.

550. K Schneiderová, K Šmejkal (2015). Phytochemical profile of *Paulownia tomentosa* (Thunb). Steud. *Phytochem Rev*, **14**(5), 799-833.

551. R Silva-Carvalho, F Baltazar, C Almeida-Aguiar (2015). Propolis: a complex natural product with a plethora of biological activities that can be explored for drug development. *eCAM*, **2015**, Art ID 206439.

552. P Pailee, S Sangpetsiripan, C Mahidol, S Ruchirawat, V Prachyawarakorn (2015). Cytotoxic and cancer chemopreventive properties of prenylated stilbenoids from *Macaranga siamensis*. *Tetrahedron*, **71**(34), 5562–5571.

553. C Massaro, J Simpson, D Powell, P Brooks (2015). Chemical composition and antimicrobial activity of honeybee (*Apis mellifera ligustica*) propolis from subtropical eastern Australia. *Sci Nat*, **102**(11-12):68.

554. F Saeed, R Ahmad, M Arshad, B Niaz, R Batool, R Naz, H Suleria (2016). Propolis to curb lifestyle related disorders: an overview. *Int J Food Prop*, **19**(2), 420-437.

555. J Sforcin (2016). Biological properties and therapeutic applications of propolis. *Phytother Res*, **30**(6), 894-905.

556. P Kustiawan, K Lirdprapamongkol, T Palaga, S Puthong, P Phuwapraisirisan, J Svasti, C Chanchao (2017). Molecular mechanism of cardol, isolated from *Trigona incisa* stingless bee propolis, induced apoptosis in the SW620 human colorectal cancer cell line. *BMC Pharmacol Toxicol*, **18**:32.

557. Y Suryani, I Kinasih, U Julita, T Cahyanto, R Putra, M Ramdhani, F Purwati, K Parwati (2017). Effect of propolis coating on the quality of eggs: Microbial contamination and haugh unit. *Res J Pharmaceut Biol Chem Sci*, **8**(2), 1776–1784.

558. R Spulber, T Colţa, N Băbeanu, O Popa (2017). Chemical diversity of polyphenols from bee pollen and propolis. *AgroLife Sci J*, **6**(2), 183-194.

559. T Ismail, S Sulaiman, K Ponnuraj, C Man, N Hassan (2018). Chemical constituents of Malaysian *Apis mellifera* propolis. *Sains Malaysiana*, **47**(1), 117–122.

560. M Sahlan, A Akhmariadi, D Pratami, H Hermansyah, A Wijanarko (2018). Scale up production Indonesian liquid propolis from raw propolis and wild beehive using bubbling vacuum evaporator. *MATEC Web of Conferences*, **248**(ESTIC 2018):04001.

561. I Kinasih, U Julita, Y Suryani, T Cahyanto, D Annisa, A Yuliawati, R Putra (2018). Addition of black soldier fly larvae (*Hermetia illucens* L.) and propolis to broiler chicken performance. *IOP Conf Ser: Earth Environ Sci*, **187**:012026.

562. M Herrera-López, E Rubio-Hernández, M Leyte-Lugo, A Schinkovitz, P Richomme, L Calvo-Irabién, L Peña-Rodríguez (2019). Botanical origin of triterpenoids from Yucatecan propolis. *Phytochem Lett*, **29**, 25–29.

563. N Pujirahayu, T Suzuki, T Katayama (2019). Cycloartane-type triterpenes and botanical origin of propolis of stingless Indonesian bee *Tetragonula sapiens*. *Plants* (Basel), **8**(3), 57.

564. W Siheri, G Ebiloma, J Igoli, A Gray, M Biddau, P Akrachalanont, S Alenezi, M Alwashih, R Edrada-Ebel, S Muller, C Lawrence, J Fearnley, D Watson, H De Koning (2019). Isolation of a novel flavanonol and an alkylresorcinol with highly potent anti-trypanosomal activity from Libyan propolis. *Molecules*, **24**(6), 1041.

565. S Farida, M Sahlan, E Rohmatin, R Adawiyah (2019). The beneficial effect of Indonesian propolis wax from *Tetragonula* sp. as a therapy in limited vaginal candidiasis patients. *Saudi J Biol Sci*, In Press, doi: 10.1016/j.sjbs.2019.06.010.

566. C Silva, A Salatino, L Motta, G Negri, M Salatino (2019). Chemical characterization, antioxidant and anti-HIV activities of a Brazilian propolis from Ceará state. *Braz J Pharmacogn*, In Press, doi: 10.1016/j.bjp.2019.04.001.

Публикация 16 (Г3): M Popova, **B Trusheva**, D Antonova, S Cutajar, D Mifsud, C Farrugia, I Tsvetkova, H Najdenski, V Bankova (2011). The specific chemical profile of Mediterranean propolis from Malta. *Food Chem*, **126**(3), 1431-1435.

567. M Miguel, M Antunes (2011). Is propolis safe as an alternative medicine. *J Pharm Bioallied Sci*, **3**(4), 479-495.

568. N Cardinault, M Cayeux, P du Sert (2012). La propolis: origine, composition et propriétés. *Phytothérapie*, **10**(5), 298-304.

569. S Falcão, N Vale, P Gomes, M Domingues, C Freire, S Cardoso, M Vilas-Boas (2013). Phenolic profiling of Portuguese propolis by LC–MS spectrometry: uncommon propolis rich in flavonoid glycosides. *Phytochem Anal*, **24**(4), 309–318.

570. U Siripatrawan, W Vitchayakitti, R Sanguandeekul (2013). Antioxidant and antimicrobial properties of Thai propolis extracted using ethanol aqueous solution. *Int J Food Sci Technol*, **48**(1), 22–27.

571. H Cheng, Z Qin, X Guo, X Hu, J Wu (2013). Geographical origin identification of propolis using GC–MS and electronic nose combined with principal component analysis. *Food Res Int*, **51**(2), 813–822.

572. A Righi, G Negri, A Salatino (2013). Comparative chemistry of propolis from eight Brazilian localities. *eCAM*, **2013**, Art ID 267878.

573. E da Silva, M Muniz, R Nunomura, S Nunomura, G Zilse (2013). Constituintes fenólicos e atividade antioxidante da geoprópolis de duas espécies de abelhas sem ferrão amazônicas. *Quim Nova*, **36**(5), 628-633.

574. J Gil- Gonzalez, D Durango-Restrepo, B Rojano, J Marin-Loaiza (2013). Antioxidant activity and chemical composition of Colombian propolis. In *Natural Antioxidants and Biocides from Wild Medicinal Plants*, C Céspedes, D Sampietro, D Seigler, M Rai (Eds), CAB International, UK, pp. 92-115.

575. M Miguel (2013). Chemical and biological properties of propolis from the Western countries of the Mediterranean basin and Portugal. *Int J Pharm Pharmaceut Sci*, **5**(3), 403-409.

576. E Zammit, K Theuma, S Darmanin, M Muraglia, M Camilleri-Podesta, J Buhagiar, J Calleja-Agius, M Adami, M Micallef, C Franchini, P Schembri-Wismayer (2013). Totarol content and cytotoxicity varies significantly in different types of propolis. *Res J Pharmaceut Biol Chem Sci*, **4**(3), 1047-1058.

577. L Netíková, P Bogusch, P Heneberg (2013). Czech ethanol-free propolis extract displays inhibitory activity against a broad spectrum of bacterial and fungal pathogens. *J Food Sci*, **78**(9), M1421–M1429.

578. N Radulović, D Zlatković, P Randjelović, N Stojanović, S Novaković, H Akhlaghi (2013). Chemistry of spices: bornyl 4-methoxybenzoate from *Ferula ovina* (Boiss.) Boiss. (Apiaceae) induces hyperalgesia in mice. *Food and Function*, **4**(12), 1751-1758.

579. A De Groot (2013). Propolis: a review of properties, applications, chemical composition, contact allergy, and other adverse effects. *Dermatitis*, **24**(6), 263-282.

580. F Danert, C Zampini, R Ordonez, L Maldonado, E Bedascarrasbure, M Isla (2014). Nutritional and functional properties of aqueous and hydroalcoholic extracts from Argentinean propolis. *Nat Prod Comm*, **9**(2), 167-170.

581. A Rushdi, N Adgaba, N Bayaqoob, A Al-Khazim, B Simoneit, A El-Mubarak, K Al-Mutlaq (2014). Characteristics and chemical compositions of propolis from Ethiopia. *SpringerPlus*, **3**:253.

582. S Huang, C Zhang, K Wang, G Li, F Hu (2014). Recent advances in the chemical composition of propolis. *Molecules*, **19**, 19610-19632.

583. A Luis-Villaroya, L Espina, D García-Gonzalo, S Bayarri, C Pérez, R Pagán (2015). Bioactive properties of a propolis-based dietary supplement and its use in combination with mild heat for apple juice preservation. *Int J Food Microbiol*, **205**, 90–97.

584. P Kalia, N Kumar, K Harjai (2015). The therapeutic potential of propolis against damage caused by *Salmonella typhimurium* in mice liver: a biochemical and histological study. *Arch Biol Sci*, **67**(3), 807-816.

585. R Silva-Carvalho, F. Baltazar, C Almeida-Aguiar (2015). Propolis: a complex natural product with a plethora of biological activities that can be explored for drug development. *eCAM*, **2015**, Art ID 206439.

586. A Alqarni, A Rushdi, A Owayss, H Raweh, A El-Mubarak, B Simoneit (2015). Organic tracers from asphalt in propolis produced by urban honey bees, *Apis mellifera* Linn. *PLoS ONE*, **10**(6):e0128311.

587. M Maraschin, A Somensi-Zeggio, S Oliveira, S Kuhnen, M Tomazzoli, J Raguzzoni, A Zeri, R Carreira, S Correia, C Costa, M Rocha (2016). Metabolic profiling and classification of propolis samples from Southern Brazil: an NMR-based platform coupled with machine learning. *J Nat Prod*, **79**(1), 13-23.

588. A Rizzolo, G Bianchi, M Povolo, C Migliori, G Contarini, V Pelizzola, T Cattaneo (2016). Volatile compound composition and antioxidant activity of cooked ham slices packed in propolis-based active packaging. *Food Packag Shelf Life*, **8**, 41–49.

589. V Isidorov, S Bakier, E Pirożnikow, M Zambrzycka, I Swiecicka (2016). Selective behaviour of honeybees in acquiring European propolis plant precursors. *J Chem Ecol*, **42**(6), 475–485.

590. A Al-Ghamdi, N Bayaqoob, A Rushdi, Y Alattal, B Simoneit, A El-Mubarak, K Al-Mutlaq (2017). Chemical compositions and characteristics of organic compounds in propolis from Yemen. *Saudi J Biol Sci*, **24**(5), 1094-1103.

591. R Silva, B Machado, G Barreto, S Costa, L Andrade, R Amaral, A Carvalho, F Padilha, J Barbosa, M Umsza-Guez (2017). Antioxidant, antimicrobial, antiparasitic, and cytotoxic properties of various Brazilian propolis extracts. *PLoS ONE*, **12**(3):e0172585.

592. N Zabaiou, A Fouache, A Trousson, S Baron, A Zellagui, M Lahouel, J-M Lobaccaro (2017). Biological properties of propolis extracts: Something new from an ancient product. *Chem Phys Lipids*, **207B**, 214-222.

593. N Aminimoghadamfarouj, A Nematollahi (2017). Propolis diterpenes as a remarkable bio-source for drug discovery development: a review. *Int J Mol Sci*, **18**(6):1290.

594. N Aminimoghadamfarouj, A Nematollahi (2017). Structure elucidation and botanical characterization of diterpenes from a specific type of bee glue. *Molecules*, **22**(7):1185.

595. M Jug, O Karas, I Kosalec (2017). The influence of extraction parameters on antimicrobial activity of propolis extracts. *Nat Prod Comm*, **12**(1), 47-50.

596. R Spulber, T Colţa, N Băbeanu, O Popa (2017). Chemical diversity of polyphenols from bee pollen and propolis. *AgroLife Sci J*, **6**(2), 183-194.

597. A Oryan, E Alemzadeh, A Moshiri (2018). Potential role of propolis in wound healing: Biological properties and therapeutic activities. *Biomed Pharmacother*, **98**, 469–483.

598. T Ismail, S Sulaiman, K Ponnuraj, C Man, N Hassan (2018). Chemical constituents of Malaysian *Apis mellifera* propolis. *Sains Malaysiana*, **47**(1), 117–122.

599. Z Ahangari, M Naseri, F Vatandoost (2018). Propolis: chemical composition and its applications in endodontics. *Iranian Endod J*, **13**(3), 285-292.

600. A Sulaeman, A M Fikri, N Kalsum, M Mahani (2019). *Trigona* propolis and its potency for health and healing process. In *The Role of Functional Food Security in Global Health*, R Singh, R Watson, T Takahashi (Eds), Academic Press, pp 425-448.

601. S El-Guendouz, B Lyoussi, M Miguel (2019). Insight on propolis from Mediterranean countries: chemical composition, biological activities and application fields. *Chem Biodivers*, In Press, doi: 10.1002/cbdv.201900094.

602. C Silva, A Salatino, L Motta, G Negri, M Salatino (2019). Chemical characterization, antioxidant and anti-HIV activities of a Brazilian propolis from Ceará state. *Braz J Pharmacogn*, In Press, doi: 10.1016/j.bjp.2019.04.001.

Публикация 17 (Г4): M Popova, **B Trusheva**, S Cutajar, D Antonova, D Mifsud, C Farrugia, V Bankova (2012). Identification of the plant origin of the botanical biomarkers of Mediterranean type propolis. *Nat Prod Comm*, **7**(5), 569-570.

603. E El Ashry, T Ahmad (2012). The use of propolis as vaccine's adjuvant. *Vaccine*, **31**(1), 31–39.

604. M Miguel (2013). Chemical and biological properties of propolis from the Western countries of the Mediterranean basin and Portugal. *Int J Pharm Pharmaceut Sci*, **5**(3), 403-409.

605. A De Groot (2013). Propolis: a review of properties, applications, chemical composition, contact allergy, and other adverse effects. *Dermatitis*, **24**(6), 263-282.

606. Celemli, F Hatjina, L Charistos, A Schiesser, A Ozkirim (2013). More insight into the chemical composition of Greek propolis; differences and similarities with Turkish propolis. *Z Naturforsch*, **68c**(11-12), 429-438.

607. D Papachroni, K Graikou, I Kosalec, H Damianakos, V Ingram, I Chinou (2015). Phytochemical analysis and biological evaluation of selected African propolis samples from Cameroon and Congo. *Nat Prod Comm*, **10**(1), 67-70.

608. S Martinotti, E Ranzato (2015). Propolis: a new frontier for wound healing. *Burns & Trauma*, **3**(1):9.

609. M Mayworm, C Fernandes-Silva, M Salatino, A Salatino (2015). A simple and inexpensive procedure for detection of a marker of Brazilian alecrim propolis. *J Apicult Res*, **54**(1), 36-39.

610. P Ristivojević, J Trifković, F Andrić, D Milojković-Opsenica (2015). Poplar-type propolis: chemical composition, botanical origin and biological activity. *Nat Prod Comm*, **10**(11), 1869–1876.

611. B Anđelković, L Vujisić, I Vučković, V Tešević, V Vajs, D Gođevac (2017). Metabolomics study of *Populus* type propolis. *J Pharmaceut Biomed Anal*, **135**, 217-226.

612. S Khan (2017). Recent advances in role of propolis as natural additive in poultry nutrition. *J Apicult Sci*, **61**(2), 167-183.

613. T Ismail, S Sulaiman, K Ponnuraj, C Man, N Hassan (2018). Chemical constituents of Malaysian *Apis mellifera* propolis. *Sains Malaysiana*, **47**(1), 117–122.

614. L Saftić, Ž Peršurić, E Fornal, T Pavlešić, S Pavelić (2019). Targeted and untargeted LC-MS polyphenolic profiling and chemometric analysis of propolis from different regions of Croatia. *J Pharmaceut Biomed Anal*, **165**, 162-172.

615. S El-Guendouz, B Lyoussi, M Miguel (2019). Insight on propolis from Mediterranean countries: chemical composition, biological activities and application fields. *Chem Biodivers*, In Press, doi: 10.1002/cbdv.201900094.

616. S Falcão, M Lopes, M Vilas-Boas (2019). A first approach to the chemical composition and antioxidant potential of Guinea-Bissau propolis. *Nat Prod Comm*, **14**(5), doi: 10.1177/1934578X19844138.

617. A Papachristoforou, E Koutouvela, G Menexes, K Gardikis, I Mourtzinos (2019). Photometric analysis of propolis from the Island of Samothraki, Greece. The discovery of red propolis. *Chem Biodivers*, In Press, doi: 10.1002/cbdv.201900146.

Публикация 19 (Г6): K Bilikova, M Popova, **B Trusheva**, V Bankova (2013). New anti-*Paenibacillus larvae* substances purified from propolis. *Apidologie*, **44**(3), 278–285.

618. M Wilson, D Brinkman, M Spivak, G Gardner, J Cohen (2015). Regional variation in composition and antimicrobial activity of US propolis against *Paenibacillus larvae* and *Ascosphaera apis*. *J Invertebr Pathol*, **124**, 44–50.

619. G DeGrandi-Hoffman, Y Chen (2015). Nutrition, immunity and viral infections in honey bees. *Curr Opin Insect Sci*, **10**, 170–176.

620. R Borba, K Klyczek, K Mogen, M Spivak (2015). Seasonal benefits of a natural propolis envelope to honey bee immunity and colony health. *J Exp Biol*, **218**(22), 3689-3699.

621. S Sagona, B Turchi, F Fratini, M Giusti, B Torracca, R Nuvoloni, D Cerri, A Felicioli (2015). Preliminary evaluation of glucose oxidase and its products *in vitro* antimicrobial activities on *Paenibacillus larvae* ATCC9545 vegetative form. *Bull Insectol*, **68**(2), 233-237.

622. S Erler, R Moritz (2016). Pharmacophagy and pharmacophory: mechanisms of self-medication and disease prevention in the honeybee colony (*Apis mellifera*). *Apidologie*, **47**(3), 389–411.

623. S Yang, L Liu, D Li, H Xia, X Su, L Peng, S Pan (2016). Use of active extracts of poplar buds against *Penicillium italicum* and possible modes of action. *Food Chem*, **196**, 610–618.

624. W Siheri, T Zhang, G Ebiloma, M Biddau, N Woods, M Hussain, C Clements, J Fearnley, R Ebel, T Paget, S Muller, K Carter, V Ferro, H De Koning, D Watson (2016). Chemical and antimicrobial profiling of propolis from different regions within Libya. *PLoS ONE*, **11**(5), e0155355.

625. R Alonso-Salces, N Cugnata, E Guaspari, M Pellegrini, I Aubone, F De Piano, K Antunez, S Fuselli (2017). Natural strategies for the control of *Paenibacillus larvae*, the causative agent of American foulbrood in honey bees: a review. *Apidologie*, **48**(3), 387–400.

626. V Isidorov, K Buczek, G Zambrowski, K Miastkowski, I Swiecicka (2017). *In vitro* study of the antimicrobial activity of European propolis against *Paenibacillus larvae*. *Apidologie*, **48**(3), 411–422.

627. M Wilson, A Pawlus, D Brinkman, G Gardner, A Hegeman, M Spivak, J Cohen (2017). 3-Acyl dihydroflavonols from poplar resins collected by honey bees are active against the bee pathogens *Paenibacillus larvae* and *Ascosphaera apis*. *Phytochem*, **138**, 83–92.

628. M Simone-Finstrom, R Borba, M Wilson, M Spivak (2017). Propolis counteracts some threats to honey bee health. *Insects*, **8**(2):46.

629. N Cugnata, E Guaspari, M Pellegrini, S Fuselli, R Alonso-Salces (2017). Optimal concentration of organic solvents to be used in the broth microdilution method to determine the antimicrobial activity of natural products against *Paenibacillus larvae*. *J Apic Sci*, **61**(1), 37-53.

630. R Borba, M Spivak (2017). Propolis envelope in *Apis mellifera* colonies supports honey bees against the pathogen, *Paenibacillus larvae*. *Sci Rep*, **7**:11429.

631. D Dezmirean, L Mărghitaş, F Chirilă, F Copaciu, V Simonca, O Bobiş, S Erler (2017). Influence of geographic origin, plant source and polyphenolic substances on antimicrobial properties of propolis against human and honey bee pathogens. *J Apicult Res*, **56**(5), 588-597.

632. S Fuselli, N Cugnata, P Marínez, R Alonso-Salces (2017). Control and prevention of American foulbrood in honey bees. Nova Science Publishers, pp. 1-128. ISBN: 978-1-53611-986-2.

633. A Turcatto, A Lourenço, D De Jong (2018). Propolis consumption ramps up the immune response in honey bees infected with bacteria. *Apidologie*, **49**(3), 287–296.

634. V Isidorov, K Buczek, A Segiet, G Zambrowski, I Swiecicka (2018). Activity of selected plant extracts against honey bee pathogen *Paenibacillus larvae*. *Apidologie*, **49**(6), 687–704.

635. N Fernández, N Damiani, E Podaza, J Martucci, D Fasce, F Quiroz, P Meretta, S Quintana, M Eguaras, L Gende (2019). *Laurus nobilis* L. extracts against *Paenibacillus larvae*: antimicrobial activity, antioxidant capacity, hygienic behavior and colony strength. *Saudi J Biol Sci*, **26**(5), pp. 906-912.

Публикация 20 (Г7): M Popova, **B Trusheva**, R Khismatullin, N Gavrilova, G Legotkina, J Lyapunov, V Bankova (2013). The triple botanical origin of Russian propolis from the Perm region, its phenolic content and antimicrobial activity. *Nat Prod Comm*, **8**(5), 617–620.

636. V Isidorov, R Bagan, L Szczepaniak, I Swiecicka (2015). Chemical profile and antimicrobial activity of extractable compounds of *Betula litwinowii* (Betulaceae) buds. *Open Chem*, **13**, 125–137.

637. P Ristivojević, J Trifković, F Andrić, D Milojković-Opsenica (2015). Poplar-type propolis: chemical composition, botanical origin and biological activity. *Nat Prod Comm*, **10**(11), 1869–1876.

638. V Isidorov, S Bakier, E Pirożnikow, M Zambrzycka, I Swiecicka (2016). Selective behaviour of honeybees in acquiring European propolis plant precursors. *J Chem Ecol*, **42**(6), 475–485.

639. B Anđelković, L Vujisić, I Vučković, V Tešević, V Vajs, D Gođevac (2017). Metabolomics study of *Populus* type propolis. *J Pharmaceut Biomed Anal*, **135**, 217-226.

640. V Isidorov, K Buczek, G Zambrowski, K Miastkowski, I Swiecicka (2017). *In vitro* study of the antimicrobial activity of European propolis against *Paenibacillus larvae*. *Apidologie*, **48**(3), 411–422.

641. P Okińczyc, A Szumny, J Szperlik, A Kulma, R Franiczek, B Żbikowska, B Krzyżanowska, Z Sroka (2018). Profile of polyphenolic and essential oil composition of Polish propolis, black poplar and aspens buds. *Molecules*, **23**(6), 1262.

Публикация 21 (Г8): V Bankova, M Popova, **B Trusheva** (2014). Propolis volatile compounds: chemical diversity and biological activity: a review. *Chem Centr J*, **8**:28.

642. E Schmidt, D Stock, F Chada, D Finger, A Sawaya, M Eberlin, M Felsner, S Quináia, M Monteiro, Y Torres (2014). A comparison between characterization and biological properties of Brazilian fresh and aged propolis. *BioMed Res Int*, **2014**, Art ID 257617.

643. R Silva-Carvalho, V Miranda-Gonçalves, A Ferreira, S Cardoso, A Sobral, C Almeida-Aguiar, F Baltazar (2014). Antitumoural and antiangiogenic activity of Portuguese propolis in *in vitro* and *in vivo* models. *J Funct Foods*, **11**, 160–171.

644. N Chaurasiya, M Ibrahim, I Muhammad, L Walker, B Tekwani (2014). Monoamine oxidase inhibitory constituents of propolis: kinetics and mechanism of inhibition of recombinant human MAO-A and MAO-B. *Molecules*, **19**, 18936-18952.

645. C Fernandes-Silva, C Lima, G Negri, M Salatino, A Salatino, M Mayworm (2015). Composition of the volatile fraction of a sample of Brazilian green propolis and its phytotoxic activity. *J Sci Food Agr*, **95**(15), 3091–3095.

646. H Tian, H Sun, J Zhang, X Zhang, L Zhao, S Guo, Y Li, P Jiao, H Wang, S Qin, S Yao (2015). Ethanol extract of propolis protects macrophages from oxidized low density lipoprotein-induced apoptosis by inhibiting CD36 expression and endoplasmic reticulum stress-C/EBP homologous protein pathway. *BMC Compl Alternative Med*, **15**(1):230.

647. A Dărăban, N Olah, R Câmpean, F Furtuna, C Cobzac, G Dehelean, M Bojiţă, D Hanganu (2015). Comparative study of polyphenols from propolis extracts of different origin. *Studia Universitatis Babes-Bolyai Chemia*, **60**(2), 125-136.

648. A Al-Daamy, H Ameer, H Zuher, H Monather, B Ahmmed, N Kadhim (2015). Antifungal activity of propolis against dermatophytes and *Candida albicans* isolated from human mouth. *J Contemp Med Sci*, **1**(3), 4–8.

649. P Ristivojević, J Trifković, F Andrić, D Milojković-Opsenica (2015). Poplar-type propolis: chemical composition, botanical origin and biological activity. *Nat Prod Comm*, **10**(11), 1869–1876.

650. F Fernandes, Z Guterres, I Violante, F Garcez (2015). Evaluation of mutagenic and antimicrobial properties of brown propolis essential oil from the Brazilian Cerrado biome. *Toxicol Reports*, **2**, 1482–1488.

651. S Buahorm, S Puthong, T Palaga, K Lirdprapamongkol, P Phuwapraisirisan, J Svasti, C Chanchao (2015). Cardanol isolated from Thai *Apis mellifera* propolis induces cell cycle arrest and apoptosis of BT-474 breast cancer cells via p21 upregulation. *DARU J Pharmaceut Sci*, **23**:55.

652. M Niculae, L Stan, E Pall, A Paştiu, I Balaci, S Muste, M Spînu (2015). *In vitro* synergistic antimicrobial activity of Romanian propolis and antibiotics against *Escherichia coli* isolated from bovine mastitis. *Not Bot Horti Agrobo*, **43**(2), 327-334.

653. S de Figueiredo, N Binda, B Almeida, S Abreu, J de Abreu, G Pastore, H Sato, V Toreti, E Tapia, Y Park, S Filho, R Caligiorne (2015). Green propolis: thirteen constituents of polar extract and total flavonoids evaluated during six years through RP-HPLC. *Curr Drug Discov Tech*, **12**(4), 229-239.

654. P Karatsi, V Kefala (2015). *In vivo* topical administration of propolis. Transdermal absorption study of the content of propolis in medicine and cosmetology products. A Review. (in Greek). *Epitheorese Klin Farmakol Farmakokinet*, **33**(3), 257-264.

655. S Erler, R Moritz (2016). Pharmacophagy and pharmacophory: mechanisms of self-medication and disease prevention in the honeybee colony (*Apis mellifera*). *Apidologie*, **47**(3), 389-411.

656. S Demir, Y Aliyazicioglu, I Turan, S Misir, A Mentese, S Yaman, K Akbulut, K Kilinc, O Deger (2016). Antiproliferative and proapoptotic activity of Turkish propolis on human lung cancer cell line. *Nutr Canc*, **68**(1), 165-172.

657. B Machado, R Silva, G Barreto, S Costa, D da Silva, H Brandão, J da Rocha, O Dellagostin, J Henriques, M Umsza-Guez, F Padilha (2016). Chemical composition and biological activity of extracts obtained by supercritical extraction and ethanolic extraction of brown, green and red propolis derived from different geographic regions in Brazil. *PLoS ONE*, **11**(1):e0145954.

658. B Lawal, O Shittu, A Abubakar, I Olalekan, A Jimoh, A Abdulazeez (2016). Drug leads agents from methanol extract of Nigerian bee (*Apis mellifera*) propolis. *J Intercult Ethnopharmacol*, **5**(1), 43-48.

659. I Jerković, Z Marijanović, P Kuś, C Tuberoso (2016). Comprehensive study of Mediterranean (Croatian) propolis peculiarity: headspace, volatiles, anti-varroa-treatment residue, phenolics, and antioxidant properties. *Chem Biodivers*, **13**(2), 210-218.

660. A Rizzolo, G Bianchi, M Povolo, C Migliori, G Contarini, V Pelizzola, T Cattaneo (2016). Volatile compound composition and antioxidant activity of cooked ham slices packed in propolis-based active packaging. *Food Packag Shelf Life*, **8**, 41–49.

661. M Oladayo (2016). Nigerian propolis improves blood glucose, glycated hemoglobin A1c, very low-density lipoprotein, and highdensity lipoprotein levels in rat models of diabetes. *J Intercult Ethnopharmacol*, **5**(3), 233–238.

662. E Nishimura, S Murakami, K Suzuki, K Amano, R Tanaka, T Shinada (2016). Structure determination of monomeric phloroglucinol derivatives with a cinnamoyl group

isolated from propolis of the stingless bee, *Tetragonula carbonaria*. *Asian J Org Chem*, **5**(7), 855–859.

663. S Saelo, K Assatarakul, A Sane, P Suppakul (2016). Fabrication of novel bioactive cellulose-based films derived from caffeic acid phenethyl ester-loaded nanoparticles via a rapid expansion process: RESOLV. *J Agric Food Chem*, **64**(35), 6694–6707.

664. M Funakoshi-Tago, K Ohsawa, T Ishikawa, F Nakamura, F Ueda, Y Narukawa, F Kiuchi, H Tamura, K Tago, T Kasahara (2016). Inhibitory effects of flavonoids extracted from Nepalese propolis on the LPS signaling pathway. *Int Immunopharm*, **40**, 550–560.

665. M Žilius, K Ramanauskienė, V Juškaitė, V Briedis (2016). Formulation of propolis phenolic acids containing microemulsions and their biopharmaceutical characterization. *eCAM*, **2016**, Art ID 8175265.

666. M Debab, F Toumi-Benali, M M Dif (2017). Antioxidant activity of propolis of West Algeria. *Phytothérapie*, **15**(4), 230–234.

667. C Bucio-Villalobos, O Martínez-Jaime (2017). Actividad antibacteriana de un extracto acuoso de propóleo del municipio de Irapuato, Guanajuato, México. *Agron Mesoam*, **28**(1), 223-227.

668. F Galeotti, L Crimaldi, F Maccari, V Zaccaria, A Fachini, N Volpi (2017). Selective treatment to reduce contamination of propolis by polycyclic aromatic hydrocarbons (PAHs) still preserving its active polyphenol component and antioxidant activity. *Nat Prod Res*, **31**(17), 1971-1980.

669. A Al-Ghamdi, N Bayaqoob, A Rushdi, Y Alattal, B Simoneit, A El-Mubarak, K Al-Mutlaq (2017). Chemical compositions and characteristics of organic compounds in propolis from Yemen. *Saudi J Biol Sci*, **24(**5), 1094-1103.

670. P Olczyk, K Komosinska-Vassev, P Ramos, L Mencner, K Olczyk, B Pilawa (2017). Free radical scavenging activity of drops and spray containing propolis-an EPR examination. *Molecules,* **22**(1):128.

671. N Drescher, A-M Klein, P Neumann, O Yañez, S Leonhardt (2017). Inside honeybee hives: impact of natural propolis on the ectoparasitic mite *Varroa destructor* and viruses. *Insects*, **8**(1):15.

672. T Bonamigo, J Campos, T Alfredo, J Balestieri, C Cardoso, E Paredes-Gamero, K Souza, E dos Santos (2017). Antioxidant, cytotoxic, and toxic activities of propolis from two native bees in Brazil: *Scaptotrigona depilis* and *Melipona quadrifasciata anthidioides*. *Oxid Med Cell Longev*, **2017**, Art ID 1038153.

673. Y Elnakady, A Rushdi, R Franke, N Abutaha, H Ebaid, M Baabbad, M Omar, A Al Ghamdi (2017). Characteristics, chemical compositions and biological activities of propolis from Al-Bahah, Saudi Arabia. *Sci Rep*, **7**:41453.

674. M Mayworm, A dos Santos, G Melo-de-Pinna, A Salatino, M Salatino, D Demarco (2017). Monoterpenes from the essential oil from Brazilian propolis affect seedling cellular elongation. *Braz J Bot*, **40**(3), 609–615.

675. K Doi, M Fujioka, Y Sokuza, M Ohnishi, M Gi, M Takeshita, K Kumada, A Kakehashi, H Wanibuchi (2017). Chemopreventive action by ethanol-extracted Brazilian green propolis on post-initiation phase of inflammation-associated rat colon tumorigenesis. *In Vivo*, **31**, 187-198.

676. K Skoskiewicz-Malinowska, U Kaczmarek, B Malicka, K Walczak, M Zietek (2017). Application of chitosan and propolis in endodontic treatment: a review. *Mini Rev Med Chem*, **17**(5), 410-434.

677. G Rimbach, A Fischer, A Schloesser, G Jerz, N Ikuta, Y Ishida, R Matsuzawa, S Matsugo, P Huebbe, K Terao (2017). Anti-Inflammatory properties of Brazilian green propolis encapsulated in a γ-cyclodextrin complex in mice fed a western-type diet. *Int J Mol Sci*, **18**(6):1141.

678. J Xavier, I Valentim, F Camatari, A de Almeida, H Goulart, J Ferro, E Barreto, B Cavalcanti, C Bottoli, M Goulart (2017). Polyphenol profile by UHPLC-MS/MS, anti-glycation, antioxidant and cytotoxic activities of several samples of propolis from the northeastern semi-arid region of Brazil. *Pharmaceut Biol*, **55**(1), 1884–1893.

679. Cuesta-Rubio, M Fernández, I Hernández, C Jaramillo, V González, R Porto, D Delange, L Fidalgo, A Piccinelli, L Campone, L Rastrelli (2017). Chemical profile and anti-leishmanial activity of three Ecuadorian propolis samples from Quito, Guayaquil and Cotacachi regions. *Fitoterapia*, **120**, 177–183.

680. L Cornara, M Biagi, J Xiao, B Burlando (2017). Therapeutic properties of bioactive compounds from different honeybee products. *Front Pharmacol*, **8**:412.

681. A Figueiredo-Rinhel, L de Melo, L Bortot, E Santos, M Andrade, A Azzolini, L Kabeya, A Caliri, J Bastos, Y Lucisano-Valim (2017). *Baccharis dracunculifolia* DC (Asteraceae) selectively modulates the effector functions of human neutrophils. *J Pharm Pharmacol*, **69**(12), 1829-1845.

682. I Gajger, I Pavlović, M Bojić, I Kosalec, S Srečec, T Vlainić, J Vlainić (2017). Components responsible for antimicrobial activity of propolis from continental and Mediterranean regions in Croatian. *Czech J Food Sci*, **35**(5), 376–385.

683. M Miguel, A Figueiredo (2017). Propolis and Geopropolis Volatiles. In *Bee Products-Chemical and Biological Properties*, J Alvarez-Suarez (Ed), Springer, Cham, pp. 113-136.

684. W Siheri, S Alenezi, J Tusiimire, D Watson (2017). The Chemical and Biological Properties of Propolis. In *Bee Products-Chemical and Biological Properties*, J Alvarez-Suarez (Ed), Springer, Cham, pp. 137-178.

685. T Bonamigo, J Campos, A Oliveira, H Torquato, J Balestieri, C Cardoso, E Paredes-Gamero, K Souza, E dos Santos (2017). Antioxidant and cytotoxic activity of propolis of *Plebeia droryana* and *Apis mellifera* (Hymenoptera, Apidae) from the Brazilian Cerrado biome. *PLoS ONE*, **12**(9):e0183983.

686. S de Figueiredo, N Binda, S Vieira-Filho, B Almeida, S Abreu, N Paulino, G Pastore, H Sato, V Theodoropoulos, E Tapia, Y Park, R Caligiorne (2017). Physicochemical characteristics of Brazilian green propolis evaluated during a six-year period. *Curr Drug Discov Tech*, **14**(2), 127–134.

687. U Mahmoud, O Amen, T Applegate, H Cheng (2017). Brazilian propolis effects on growth, productivity performance, gut characteristics and physiological changes in broiler chickens. *Int J Poult Sci*, **16**(5), 169-179.

688. I Ratajczak, M Woźniak, P Kwaśniewska‑Sip, K Szentner, G Cofta, B Mazela (2018). Chemical characterization of wood treated with a formulation based on propolis, caffeine and organosilanes. *Eur J Wood Wood Prod*, **76**(2), 775–781.

689. L Mohtar, S Rodríguez, M Nazareno (2018). Comparative analysis of volatile compound profiles of propolis from different provenances. *J Sci Food Agric*, **98**(9), 3409-3415.

690. S Ghosh, R McArthur, Z Guo, R McKerchar, K Donkor, J Xu, N Cheeptham (2018). Evidence for anti-*Pseudogymnoascus destructans* (Pd) activity of propolis. *Antibiotics*, **7**(1):2.

691. S Misir, Y Aliyazicioglu, S Demir, I Turan, S O Yaman, O Deger (2018). Antioxidant properties and protective effect of Turkish propolis on t-BHP-induced oxidative stress in foreskin fibroblast cells. *Indian J Pharmaceut Educ Res*, **52**(1), 94-100.

692. J A de la Cruz-Cervantes, F Benavides-González, J G Sánchez-Martínez, M L Vázquez-Sauceda, A J Ruiz-Uribe (2018). Propolis in Aquaculture: a review of its potential. *Rev Fish Sci Aquaculture*, **26**(3), 337-349.

693. Ã Sena-Lopes, F Bezerra, R das Neves, R de Pinho, M Silva, L Savegnago, T Collares, F Seixas, K Begnini, J Henriques, M Roesch-Ely, L Rufatto, S Moura, T Barcellos, F Padilha, O Dellagostin, S Borsuk (2018). Chemical composition, immunostimulatory, cytotoxic and antiparasitic activities of the essential oil from Brazilian red propolis. *PLoS ONE*, **13**(2):e0191797.

694. E de Souza, E da Silva, H Cordeiro, N Filho, F da Silva, D dos Reis, C Porto, E Pilau, L da Costa, A de Souza, C Menezes, A Flach (2018). Chemical compositions and antioxidant and antimicrobial activities of propolis produced by *Frieseomelitta longipes* and *Apis mellifera* bees. *Quim Nova*, **41**(5), 485-491.

695. N Rivera-Yañez, M Rodriguez-Canales, O Nieto-Yañez, M Jimenez-Estrada, M Ibarra-Barajas, M Canales-Martinez, M Rodriguez-Monroy (2018). Hypoglycaemic and antioxidant effects of propolis of Chihuahua in a model of experimental diabetes. *eCAM*, **2018**, Art ID 4360356.

696. K Celińska-Janowicz, I Zaręba, U Lazarek, J Teul, M Tomczyk, J Pałka, W Miltyk (2018). Constituents of propolis: chrysin, caffeic Acid, p-coumaric acid, and ferulic acid induce PRODH/POX-dependent apoptosis in human tongue squamous cell carcinoma cell (CAL-27). *Front Pharmacol*, **9**:336.

697. M Rahman, S Sukmasari, A Doolaanea, O Qader (2018). Potential oral wound healing of topical application of dental gel prepared from *Baccaurea angulata* fruit in diabetic rats. *J Pharm Sci Res*, **10**(1), 167-174.

698. O Aldemir, H Yildirim, E Sözmen (2018). Antioxidant and anti-inflammatory effects of biotechnologically transformed propolis. *J Food Process Preserv*, **42**(6):e13642.

699. H Kitamura, N Saito, J Fujimoto, K Nakashima, D Fujikura (2018). Brazilian propolis ethanol extract and its component kaempferol induce myeloid-derived suppressor cells from macrophages of mice *in vivo* and *in vitro*. *BMC Compl Alternative Med*, **18**(1):138.

700. P Okińczyc, A Szumny, J Szperlik, A Kulma, R Franiczek, B Żbikowska, B Krzyżanowska, Z Sroka (2018). Profile of polyphenolic and essential oil composition of Polish propolis, black poplar and aspens buds. *Molecules*, **23**(6), 1262.

701. P Kuś, I Jerković, M Jakovljević, S Jokić (2018). Extraction of bioactive phenolics from black poplar (*Populus nigra* L.) buds by supercritical CO_2 and its optimization by response surface methodology. *J Pharmaceut Biomed Anal*, **152**, 128-136.

702. A Torres, L Sandjo, M Friedemann, M Tomazzoli, M Maraschin, C Mello, A Santos (2018). Chemical characterization, antioxidant and antimicrobial activity of propolis obtained from *Melipona quadrifasciata quadrifasciata* and *Tetragonisca angustula* stingless bees. *Braz J Med Biol Res*, **51**(6): e7118.

703. P Bhargava, A Grover, N Nigam, A Kaul, M Doi, Y Ishida, H Kakuta, S Kaul, K Terao, R Wadhwa (2018). Anticancer activity of the supercritical extract of Brazilian green propolis and its active component, artepillin C: Bioinformatics and experimental analyses of its mechanisms of action. *Int J Oncol*, **52**(3), 925-932.

704. H Yıldırım, E Canbay, Ş Öztürk, O Aldemir, E Sözmen (2018). Biotransformation of propolis phenols by *L. plantarum* as a strategy for reduction of allergens. *Food Sci Biotechnol*, **27**(6), 1727–1733.

705. M Sahlan, A Hotma, H Hermansyah, A Wijanarko (2018). Propolis wax application as antimicrobial active substances of transparent soap. *2018 IEEE 5th International Conference on Engineering Technologies and Applied Sciences (ICETAS)*, Bangkok, Thailand, pp. 1-5, doi: 10.1109/ICETAS.2018.8629193. https://ieeexplore.ieee.org/document/8629193

706. Y Frión-Herrera, A Díaz-García, J Ruiz-Fuentes, H Rodríguez-Sánchez, J Sforcin (2018). The cytotoxic effects of propolis on breast cancer cells involve PI3K/Akt and ERK1/2 pathways, mitochondrial membrane potential, and reactive oxygen species generation. *Inflammopharmacol*, In Press, doi: 10.1007/s10787-018-0492-y.

707. K Pobiega, K Kraśniewska, M Gniewosz (2019). Application of propolis in antimicrobial and antioxidative protection of food quality – A review. *Trends Food Sci Tech*, **83**, 53–62.

708. A Sulaeman, A M Fikri, N Kalsum, M Mahani (2019). *Trigona* propolis and its potency for health and healing process. In *The Role of Functional Food Security in Global Health*, R Singh, R Watson, T Takahashi (Eds), Academic Press, pp 425-448.

709. M Sahlan, A Devina, D Pratami, H Situmorang, S Farida, A Munim, B Kusumoputro, M Yohda, A Faried, M Gozan, M Ledyawati (2018). Anti-inflammatory activity of *Tetragronula* species from Indonesia. *Saudi J Biol Sci*, In Press, https://doi.org/10.1016/j.sjbs.2018.12.008.

710. F Lavinas, E Macedo, G Sá, A Amaral, J Silva, M Azevedo, B Vieira, T Domingos, A Vermelho, C Carneiro, I Rodrigues (2018). Brazilian stingless bee propolis and geopropolis: promising sources of biologically active compounds. *Rev Bras Farmacogn*, In Press, https://doi.org/10.1016/j.bjp.2018.11.007.

711. G Kamatou, M Sandasi, S Tankeu, S Van Vuuren, A Viljoen (2019). Headspace analysis and characterisation of South African propolis volatile compounds using GCxGC–ToF–MS. *Rev Bras Farmacogn*, In Press, https://doi.org/10.1016/j.bjp.2018.12.002.

712. S El-Guendouz, B Lyoussi, M Miguel, A Figueiredo (2019). Characterization of volatiles from Moroccan propolis samples. *J Essent Oil Res*, **31**(1), 27-33.

713. G Bigiotti, R Pastorelli, A Belcari, P Sacchetti (2019). Symbiosis interruption in the olive fly: effect of copper and propolis on *Candidatus Erwinia dacicola*. *J Appl Entomol*, 143, 357–364.

714. M Gonzalez, M García, A Slanis, A Bonini, S Fiedler, L Fariña, E Dellacassa, C Condurso, D Lorenzo, M Russo, M Tereschuk (2019). Phytochemical findings evidencing botanical origin of new propolis type from north-west Argentina. *Chem Biodivers*, **16**(5), e1800442.

715. S Hochheim, A Guedes, L Faccin-Galhardi, D Rechenchoski, C Nozawa, R Linhares, H Filho, M Rau, D Siebert, G Micke, C de Cordova (2019). Determination of phenolic profile by HPLC–ESI-MS/MS, antioxidant activity, in vitro cytotoxicity and anti-herpetic activity of propolis from the Brazilian native bee *Melipona quadrifasciata*. *Braz J Pharmacogn*, In Press, https://doi.org/10.1016/j.bjp.2018.12.010.

716. A Felicioli, G Cilia, S Mancini, B Turchi, G Galaverna, M Cirlini, D Cerri, F Fratini (2019). In vitro antibacterial activity and volatile characterisation of organic *Apis mellifera ligustica* (Spinola, 1906) beeswax ethanol extracts. *Food Biosci*, **29**, 102-109.

717. S Misir, Y Aliyazicioglu, S Demir, I Turan, C Hepokur (2019). Effect of Turkish propolis on miRNA expression, cell cycle, and apoptosis in human breast cancer (MCF-7) cells. *Nutr Cancer*, In Press, https://doi.org/10.1080/01635581.2019.1616100.

718. A Dărăban, N Olah, R Burtescu, F Furtună, D Hanganu, I Simon, M Bojiţă, C Hegheş, L Filip (2019). The evaluation of antioxidant capacity of propolis originating from western Romania. *Farmacia*, **67**(1), 111-116.

719. M Zakerkish, M Jenabi, N Zaeemzadeh, A Hemmati, N Neisi (2019). The effect of iranian propolis on glucose metabolism, lipid profile, insulin resistance, renal function and inflammatory biomarkers in patients with type 2 diabetes mellitus: a randomized double-blind clinical trial. *Sci Rep*, **9**(1), 7289.

720. L Olegário, J Andrade, G Andrade, M Denadai, R Cavalcanti, M da Silva, N Narain (2019). Chemical characterization of four Brazilian brown propolis: An insight in tracking of its geographical location of production and quality control. *Food Res Int*, **123**, 481-502.

721. W Gargouri, S Osés, M Fernández-Muiño, M Sancho, N Kechaou (2019). Evaluation of bioactive compounds and biological activities of Tunisian propolis. *LWT-Food Sci Tech*, **111**, 328-336.

722. K Kharsany, A Viljoen, C Leonard, S van Vuuren (2019). The new buzz: Investigating the antimicrobial interactions between bioactive compounds found in South African propolis. *J Ethnopharmacol*, **238**, 111867.

723. S Farida, M Sahlan, E Rohmatin, R Adawiyah (2019). The beneficial effect of Indonesian propolis wax from *Tetragonula* sp. as a therapy in limited vaginal candidiasis patients. *Saudi J Biol Sci*, In Press, doi: 10.1016/j.sjbs.2019.06.010.

724. S El-Guendouz, B Lyoussi, M Miguel (2019). Insight on propolis from Mediterranean countries: Chemical composition, biological activities and application fields. *Chem Biodivers*, In Press, doi: 10.1002/cbdv.201900094.

725. H Ghramh, K Khan, E Ibrahim, M Ansari (2019). Biogenic synthesis of silver nanoparticles using propolis extract, their characterization, and biological activities. *Sci Adv Mater*, **11**(6), 876-883.

726. N Zin, A Azemin, M Rodi, Z Rashid, K Mohd (2019). Application of FTIR fingerprints coupled with chemometric for comparison of stingless bee propolis from different extraction methods. *Malays J Fund Appl Sci*, **15**, 350-355.

Публикация 22: M Araújo, M Búfalo, B Conti, A Fernandes Jr, **B Trusheva**, V Bankova, J Sforcin (2015). The chemical composition and pharmacological activities of geopropolis produced by *Melipona fasciculata* Smith in Northeast Brazil. *J Mol Pathophysiol*, **4**(1), 12-20.

727. M Batista, B Abreu, R Dutra, M Cunha, F do Amaral, L Torres, M Ribeiro (2016). Chemical composition and antioxidant activity of geopropolis produced by *Melipona fasciculate* (Meliponinae) in flooded fields and cerrado areas of Maranhão State, northeastern Brazil. *Acta Amazonica*, **46**(3), 315-322.

728. H dos Santos, J Campos, C dos Santos, J Balestieri, D Silva, C Carollo, K Souza, L Estevinho, E dos Santos (2017). Chemical profile and antioxidant, anti-Inflammatory, antimutagenic and antimicrobial activities of geopropolis from the stingless bee *Melipona orbignyi*. *Int J Mol Sci*, **18**(5):953.

729. C dos Santos, J Campos, H dos Santos, J Balestieri, D Silva, K Souza, C Carollo, L Estevinho, E dos Santos (2017). Chemical Composition and Pharmacological Effects of Geopropolis Produced by *Melipona quadrifasciata anthidioides*. *Oxid Med Cell Longev*, **2017**:8320804.

730. Dias, R., Bóbany, D., Taveira, M. V., Alves, V. (2017). Antibacterial action of geopropolis of *Melipona quadrifaciata* in cultivation of secretion of otitis in dogs. *Rev MVZ Córdoba*, **22**(2), 5837-5843.

731. L Zhao, M Yu, M Sun, X Xue, T Wang, W Cao, L Sun (2017). Rapid determination of major compounds in the ethanol extract of geopropolis from Malaysian stingless bees, *Heterotrigona itama*, by UHPLC-Q-TOF/MS and NMR. *Molecules*, **22**(11):1935.

732. J Ferreira, C Fernandes-Silva, A Salatino, D Message, G Negri (2017). Antioxidant activity of a geopropolis from Northeast Brazil: chemical characterization and likely botanical origin. *eCAM*, **2017**:4024721.

733. J Bonsucesso, T Gloaguen, A do Nascimento, C de Carvalho, F Dias (2018). Metals in geopropolis from beehive of *Melipona scutellaris* in urban environments. *Sci Total Environ*, **634**, 687-694.

734. L Maldonado, K Marcinkevicius, R Borelli, G Gennari, V Salomón, M Isla, N Vera, V Borelli (2018). Differentiation of argentine propolis from different species of bees and geographical origins by UV spectroscopy and chemometric analysis. *J Saudi Soc Agr Sci*, In Press, https://doi.org/10.1016/j.jssas.2018.09.003.

735. F Lavinas, E Macedo, G Sá, A Amaral, J Silva, M Azevedo, B Vieira, T Domingos, A Vermelho, C Carneiro, I Rodrigues (2018). Brazilian stingless bee propolis and geopropolis: promising sources of biologically active compounds. *Rev Bras Farmacogn*, In Press, https://doi.org/10.1016/j.bjp.2018.11.007.

Публикация 23 (B5): B Trusheva, K Stancheva, N Gajbhiye, R Dimitrova, M Popova, R Saraf, V Bankova (2016). Two new prenylated stilbenes with an irregular sesquiterpenyl side chain from propolis from Fiji islands. *Rec Nat Prod*, **10**(4), 465-471.

736. Q Zou, J Shen, Y Zhu, G Ma, X Xu, Y Liu, Z Luo, Z Zhao, D Chen, H Wu (2018). Soulieoside R: A New Cycloartane Triterpenoid Glycoside from *Souliea vaginata*. *Rec Nat Prod*, **12**(1), 95-100.

Публикация 24 (Г9): P Petrov, C Tsvetanov, P Mokreva, K Yoncheva, S Konstantinov, **B Trusheva**, M Popova, V Bankova (2016). Novel micellar form of poplar propolis with high cytotoxic activity. *RSC Advances*, **6**(36), 30728-30731.

737. H Zhang, Y Fu, F Niu, Z Li, C Ba, B Jin, G Chen, X Li (2018). Enhanced antioxidant activity and *in vitro* release of propolis by acid-induced aggregation using heat-denatured zein and carboxymethyl chitosan. *Food Hydrocolloids*, **81**, 104-112.

Публикация 25 (Г10): V Bankova, M Popova, **B Trusheva** (2016). New emerging fields of application of propolis. *Maced J Chem Chem Eng*, **35**(1), 1-11.

738. P Ristivojević, J Trifković, D Stanković, A Radoičić, D Manojlović, D Milojković-Opsenica (2017). Cyclic voltammetry and UV/Vis spectroscopy in combination with multivariate data analysis for the assessment of authenticity of poplar type propolis. *J Apicult Res*, **56**(5), 559-568.

739. P Ulloa, J Vidal, M Ávila, M Labbe, S Cohen, F Salazar (2017). Effect of the addition of propolis extract on bioactive compounds and antioxidant activity of craft beer. *J Chem*, **2017**:6716053.

740. W Siheri, S Alenezi, J Tusiimire, D Watson (2017). The chemical and biological properties of propolis. In *Bee Products-Chemical and Biological Properties*, J Alvarez-Suarez (Ed), Springer, Cham, pp. 137-178.

741. I-A I Thamnopoulos, G F Michailidis, D J Fletouris, A Badeka, M G Kontominas, A S Angelidis (2018). Inhibitory activity of propolis against *Listeria monocytogenes* in milk stored under refrigeration. *Food Microbiology*, **73**, 168-176.

742. R Aryaei, P Pakzad (2018). Evaluation of the antibacterial activity of Iranian propolis on the strains of *Pseudomonas aeruginosa* and *Staphylococcus aureus*. *Amazonia Investiga*, **7**(13), 430-435.

743. P A Ulloa, J Vidal, C L de Dicastillo, F Rodriguez, A Guarda, R M S Cruz, M J Galotto (2019). Development of poly(lactic acid) films with propolis as a source of active compounds: Biodegradability, physical, and functional properties. *J Appl Polym Sci*, **136**(8):47090.

744. T do Nascimento, G Redondo, C Abreu, V Silva, G Lira, L Grillo, M da Conceição, J Freitas, J Souza, J Araújo Júnior, I Basílio-Júnior (2019). Modified release microcapsules loaded with red propolis extract obtained by spray-dryer technique. *J Therm Anal Calorim*, In Press, https://doi.org/10.1007/s10973-019-08287-5.

745. J Seibert, J Bautista-Silva, T Amparo, A Petit, P Pervier, J Almeida, M Azevedo, B Silveira, G Brandão, G de Souza, L Teixeira, O dos Santos (2019). Development of propolis nanoemulsion with antioxidant and antimicrobial activity for use as a potential natural preservative. *Food Chem*, **287**, 61-67.

Публикация 28 (Г12): M Popova, **B Trusheva**, V Bankova (2017). Content of biologically active compounds in Bulgarian propolis: a basis for its standardization. *Bulg Chem Comm*, **49**(Special Edition B), 115–120.

746. C da Silva, A Prasniewski, M Calegari, V de Lima, T Oldoni (2018). Determination of total phenolic compounds and antioxidant activity of ethanolic extracts of propolis using ATR–FT-IR spectroscopy and chemometrics. *Food Anal Meth*, **11**(7), 2013–2021.

747. K Celińska-Janowicz, I Zaręba, U Lazarek, J Teul, M Tomczyk, J Pałka, W Miltyk (2018). Constituents of propolis: chrysin, caffeic Acid, p-coumaric acid, and ferulic acid induce PRODH/POX-dependent apoptosis in human tongue squamous cell carcinoma cell (CAL-27). *Front Pharmacol*, **9**:336.

748. M Keskin, S Keskin, S Kolayli (2019). Preparation of alcohol free propolis-alginate microcapsules, characterization and release property. *LWT-Food Sci Technol*, **108**, 89-96.

Публикация 29 (Г13): P Petrov, G Grancharov, V Gancheva, **B Trusheva**, V Bankova, C Tsvetanov (2017). Development of propolis-loaded block copolymer micelles of superior structural stability and high loading capacity. *Polymer*, **125**, 102-109.

749. M Assem, O Khowessah, D Ghorab (2019). Optimization and evaluation of beclomethasone dipropionate micelles incorporated into biocompatible hydrogel using a sub-chronic dermatitis animal model. *AAPS PharmSciTech*, **20**(4), 152.

Публикация 30 (Г14): M Popova, H Lazarova, **B Trusheva**, M Popova, V Bankova, J Mihály, H Najdenski, I Tsvetkova, Á Szegedi (2018). Nanostructured silver silica materials as potential propolis carriers. *Micropor Mesopor Mat*, **263**, 28–33.

750. T Das, S Ganguly, P Bhawal, S Remanan, S Ghosh, N Das (2018). A facile green synthesis of silver nanoparticles decorated silica nanocomposites using mussel inspired polydopamine chemistry and assessment its catalytic activity. *J Environ Chem Eng*, **6**(6), 6989-7001.

751. B Melendez-Rodriguez, K Figueroa-Lopez, A Bernardos, R Martínez-Máñez, L Cabedo, S Torres-Giner, J Lagaron (2019). Electrospun antimicrobial films of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) containing eugenol essential oil encapsulated in mesoporous silica nanoparticles. *Nanomaterials*, **9**, 227.

Публикация 31 (В7): K Georgieva, **B Trusheva**, V Uzunova, T Stoyanova, V Valcheva, M Popova, R Tzoneva, V Bankova (2018). New cycloartane triterpenes from bioactive extract of propolis from Pitcairn Island. *Fitoterapia*, **128**, 233–241.

752. B Aru, E Güzelmeric, A Akgül, G Demirel, H Kırmızıbekmez (2019). Antiproliferative activity of chemically characterized propolis from Turkey and its mechanisms of action. *Chem Biodivers*, In Press, doi: 10.1002/cbdv.201900189.

Публикация 32 (Г15): V Bankova, M Popova, B Trusheva (2018). The phytochemistry of the honeybee. *Phytochemistry*, **155**, 1–11.

753. V Vyshniak, O Dimitriev, S Litvynchuk, V Dombrovskiy (2018). Identification of beeswax and its falsification by the method of infrared spectroscopy. *Ukrain Food J*, **7**(3), 421-433.

754. F Geyikoglu, K Koc, S Colak, H Erol, S Cerig, B Yardimci, O Cakmak, M Dortbudak, G Eser, F Aysin, N Ozek, S Yildirim (2019). Propolis and its combination with boric acid protect against ischemia/reperfusion-induced acute kidney injury by inhibiting oxidative stress, inflammation, DNA damage, and apoptosis in rats. *Biol Trace Elem Res*, In Press, https://doi.org/10.1007/s12011-019-1649-2.

755. X Jiang, J Tian, Y Zheng, Y Zhang, Y Wu, C Zhang, H Zheng, F Hu (2019). A new propolis type from Changbai Mountains in North-east China: chemical composition, botanical origin and biological activity. *Molecules*, **24**(7), 1369.

756. S Katekhaye, H Fearnley, J Fearnley, A Paradkar (2019): Gaps in propolis research: challenges posed to commercialization and the need for an holistic approach. *J Apicult Res*, In Press, doi: 10.1080/00218839.2019.1614273.

[2]**Публикация 34 (Г17):** V Bankova, D Bertelli, R Borba, B Conti, I Cunha, C Danert, M Eberlin, S Falcão, M Isla, M Moreno, G Papotti, M Popova, K Santiago, A Salas, A Sawaya, N Schwab, J Sforcin, M Simone-Finstrom, M Spivak, **B Trusheva**, M Vilas-Boas, M Wilson, C Zampini (2019). Standard methods for Apis mellifera propolis research. *J Apicult Res*, **58**(2), 1-49, doi: 10.1080/00218839.2016.1222661.

757. P Ristivojević, J Trifković, D Stanković, A Radoičić, D Manojlović, D Milojković-Opsenica (2017). Cyclic voltammetry and UV/Vis spectroscopy in combination with multivariate data analysis for the assessment of authenticity of poplar type propolis. *J Apicult Res*, **56**(5), 559-568.

[2] Статията е приета и публикувана on-line през септември 2016 г.

758. H Shokri, F Katiraee, M Fatahinia, M Minooeianhaghighi (2017). Chemical composition and antifungal potential of Iranian propolis against *Candida krusei* strains, *J Apicult Res*, **56**(5), 581-587.

759. D Dezmirean, L Mărghitaş, F Chirilă, F Copaciu, V Simonca, O Bobiş, S Erler (2017). Influence of geographic origin, plant source and polyphenolic substances on antimicrobial properties of propolis against human and honey bee pathogens. *J Apicult Res*, **56**(5), 588-597.

760. L dos Santos, S Hochheim, A Boeder, A Kroger, M Tomazzoli, R Neto, M Maraschin, A Guedes, C de Cordova (2017). Chemical characterization, antioxidant, cytotoxic and antibacterial activity of propolis extracts and isolated compounds from the Brazilian stingless bees *Melipona quadrifasciata* and *Tetragonisca angustula*. *J Apicult Res*, **56**(5), 543-558.

761. V Paula, L Estevinho, L Dias (2017). Quantification of three phenolic classes and total phenolic content of propolis extracts using a single UV-vis spectrum. *J Apicult Res*, **56**(5), 569-580.

762. X Wang, H Hu, Z Luo, Y Liu, H Zhang (2018). A plant origin of Chinese propolis: *Populus canadensis* Moench. *J Apicult Res*, **57**(2), 228-245.

763. L Azevedo, P Silva, M Brandão, L da Rocha, C Aragão, S da Silva, I Porto, I Basílio- Júnior, E Fonseca, M de Moura, T do Nascimento (2018). Polymeric nanoparticle systems loaded with red propolis extract: a comparative study of the encapsulating systems, PCL-Pluronic versus Eudragit®E100-Pluronic. *J Apicult Res*, **57**(2), 255-270.

764. T do Nascimento, A Silva, P Constant, S da Silva, M de Moura, C de Almeida, V Silva, A Wanderley, I Basílio Júnior, P Escodro (2018). Phytochemical screening, antioxidant and antibacterial activities of some commercial extract of propolis, *J Apicult Res*, **57**(2), 246-254.

765. Medjeber, K Touri, H Rafa, Z Djeraba, M Belkhelfa, A Boutaleb, A Arroul-Lammali, H Belguendouz, C Touil-Boukoffa (2018). *Ex vivo* immunomodulatory effect of ethanolic extract of propolis during Celiac Disease: involvement of nitric oxide pathway. *Inflammopharmacol*, **26**(6), 1469–1481.

766. J Granados-Pineda, N Uribe-Uribe, P García-López, M Ramos-Godinez, J Rivero-Cruz, J Pérez-Rojas (2018). Effect of pinocembrin isolated from Mexican brown propolis on diabetic nephropathy. *Molecules*, **23**(4):852.

767. A Vivar-Quintana, M González-Martín, I Revilla, E Betances-Salcedo (2018). Determination and quantification of phenolic acids in raw propolis by reversed phase high performance liquid chromatography. Feasibility study for the use of near infrared spectroscopy. *J Apicult Res*, **57**(5), 648-656.

768. M Pusceddu, G Piluzza, P Theodorou, F Buffa, L Ruiu, S Bullitta, I Floris, A Satta (2019). Resin foraging dynamics in *Varroa destructor*-infested hives: a case of medication of kin. *Insect Sci*, **26**(2), 297-310.

769. C Machado, D Finger, M Felsner, Y Torres (2019). In house validation of an HPLC-DAD method for the simultaneous determination of specific bioactive compounds in southern Brazilian propolis. *J Apicult Res*, **58**(1), 104-113.

770. M Ribeiro, C da Luz, P de Albuquerque (2019). Palynology as a tool for distinguishing geopropolis samples from stingless bee species in the Maranhense Amazon, Brazil. *J Apicult Res*, **58**(1), 16-36.

771. A Sulaeman, A M Fikri, N Kalsum, M Mahani (2019). *Trigona* propolis and its potency for health and healing process. In *The Role of Functional Food Security in Global Health*, R Singh, R Watson, T Takahashi (Eds), Academic Press, pp 425-448.

772. L Saftić, Ž Peršurić, E Fornal, T Pavlešić, S Pavelić (2019). Targeted and untargeted LC-MS polyphenolic profiling and chemometric analysis of propolis from different regions of Croatia. *J Pharmaceut Biomed Anal*, **165**, 162-172.

773. S Peycheva, E Apostolova, P Gardjeva, Z Peychev, V Kokova, A Angelov, A Slavov, M Murdjeva (2018). Effect of Bulgarian propolis on the oral microflora in adolescents with plaque-induced gingivitis. *Rev Bras Farmacogn*, In Press, https://doi.org/10.1016/j.bjp.2018.11.001.

774. V Vasić, U Gašić, D Stanković, D Lušić, D Vukić-Lušić, D Milojković-Opsenica, Ž Tešić, J Trifković (2019). Towards better quality criteria of European honeydew honey: phenolic profile and antioxidant capacity. *Food Chem*, **274**, 629-641.

775. M Fangio, D Orallo, L Gende, M Churio (2019): Chemical characterization and antimicrobial activity against *Paenibacillus larvae* of propolis from Buenos Aires province, Argentina. *J Apicult Res*, In Press, doi: 10.1080/00218839.2019.1601318.

776. E Alday, D Valencia, A Garibay-Escobar, Z Domínguez-Esquivel, A Piccinelli, L Rastrelli, J Monribot-Villanueva, J Guerrero-Analco, R Robles-Zepeda, J Hernandez, C Velazquez (2019). Plant origin authentication of Sonoran Desert propolis: an antiproliferative propolis from a semi-arid region. *The Science of Nature*, **106**, 25.

777. A Bouaroura, N Segueni, J Diaz, C Bensouici, S Akkal, S Rhouati (2019). Preliminary analysis of the chemical composition, antioxidant and anticholinesterase activities of Algerian propolis. *Nat Prod Res*, In Press, doi: 10.1080/14786419.2018.1556658.

778. A Fikri, A Sulaeman, S Marliyati, M Fahrudin (2019). Antioxidant activity and total phenolic content of stingless bee propolis from Indonesia. *J Apicult Sci*, **63**(1), 139-147.

Забелязани цитати:
Общо– **778**;
На публикации в дисертацията за ОНС „Доктор”- **264**;
На публикациите извън дисертацията за ОНС „Доктор”– **514**;